

- (ICES), I. C. f. t. E. o. t. S. (2011). Report of the Working Group on Marine Mammal Ecology (WGMME). Berlin, Germany: 204.
- Abollo, E., A. Lopez, et al. (1998). "Long-term recording of gastric ulcers in cetaceans stranded on the Galician (NW Spain) coast." Diseases of Aquatic Organisms **32**: 71-73.
- Abollo, E., A. Lopez, et al. (1998). "Macroparasites in cetaceans stranded on the northwestern Spanish Atlantic coast." Diseases of Aquatic Organisms **32**: 227-231.
- Abollo, E. and S. Pascual (2002). "SEM study of *Anisakis brevispiculata* Dollfus, 1966 and *Pseudoterranova ceticola* (Deardoff and Overstreet, 1981) (Nematoda: anisakidae), parasites of the pigmy sperm whale *Kogia breviceps*." Sciencia Marina **66**: 249-255.
- Acebes, J., S. Nakagun, et al. (2013). Small cetacean diversity in the Babuyan Islands, Northern Luzon, Philippines. 20th **Biennial Conference on the Biology of Marine Mammals**, Dunedin, New Zealand, Society for Marine Mammalogy.
- Aguiar dos Santos, R. A. M. H. (2001). "Cephalopods in the diet of marine mammals stranded or incidentally caught along southeastern and southern Brazil (21-34 deg S)." Fish. Res. **52**: 219-239.
- Agusti, C., F. J. Aznar, et al. (2005). "Tetraphyllidean plerocercoids from western Mediterranean cetaceans and other marine mammals around the world: A comprehensive morphological analysis." Journal of Parasitology **91**(1): 83-92.
- Aitken, P. F. (1971). "Whales from the coast of South Australia." Transactions of the Royal Society of South Australia **95**(2): 95-103.
- Akmajian, A., J. Calambokidis, et al. (2011). Multi-species comparison of trace metal contaminants from marine mammals stranded in Washington State between 2004 and 2010. 19th Biennial Conference on the Biology of Marine Mammals, Tampa, Florida, USA, The Society for Marine Mammalogy.
- Allen, G. M. (1941). "Pygmy sperm whale in the Atlantic." Publications of the Field Museum of Natural History (Zoology) **27**: 17-36.
- Alling, A., S. Chantrapornsyl, et al. The genus *Kogia* in the Indian Ocean: a review: 1-14.
- Alves, T. T., F. J. C. Avila, et al. (1996). Registros de cetaceos para o litoral do estado do Ceara, Brasil. Reunion de Trabalho de Especialistas en Mamiferos Acuaticos de America del Sur.
- Amos, A. F. (1989 (1985)). Recent strandings of sea turtles, cetaceans and birds in the vicinity of Mustang Island, Texas. First International Symposium on Kemp's Ridley Sea Turtle Biology, Conservation and Management, Galveston, Texas, Texas A&M University Sea Grant Program.
- Anderson, H. F. and A. J. Rawson (1997). "Volvulus with necrosis of intestine in *Stenella attenuata*." Marine Mammal Science **13**(1): 147-149.
- Anderson, M. and C. C. Kinze (1999). "Annotated checklist and identification key to the whales, dolphins and porpoises (Order Cetacea) of Thailand and adjacent waters." The Natural History Bulletin of the Siam Society **47**: 27-62.
- Anderson, E. T., C. A. Manire, et al. (2005). Changes in the respiration for two orphaned pygmy sperm whale calves (*Kogia breviceps*) and a dwarf sperm whale calf (*Kogia sima*). Annual Conference of the International Association for Aquatic Animal Medicine, Seward, Alaska.
- Anderson, R. C., S. A. Sattar, et al. (2012). "Cetaceans in the Maldives: a review."

- Journal of Cetacean Research and Management **12**(2): 219-225.
- Anonymous (1995). "*Kogia* stranding (in Japanese)." Shimoda Floating Aquarium Newsletter **24**: 5.
- Anonymous (1997). United States Progress Report on Cetacean Research, May 1995 to May 1996. Forty-Seventh Report of the International Whaling Commission. G. P. Donovan. Cambridge, United Kingdom, International Whaling Commission. **47**: 367-376.
- Anonymous (1999). Marine mammals in the area served by the South Pacific Regional Environmental Program (SPREP). Nairobi, Kenya and Apia, Samoa, United Nations Environmental Programme, SPREP: 55.
- Aragones, L. V., M. A. A. Roque, et al. (2010). "The Philippine marine mammal strandings from 1998 to 2009: Animals in the Philippines in peril?" Aquatic Mammals **36**(3): 219-233.
- Arellano-Peralta, V. A. and L. Medrano-Gonzalez (2015). "Ecology, conservation and human history of marine mammals in the Gulf of California and Pacific coast of Baja California, Mexico." Ocean & Coastal Management **104**: 90-105.
- Arnason, U. and K. Benirschke (1973). "Karyotypes and ideograms of sperm and pygmy sperm whales." Hereditas **75**: 67-74.
- Arnason, U., A. Gullberg, et al. (1993). "Cetacean mitochondrial DNA control region: sequences of all extant baleen whales and two sperm whale species." Molecular Biology and Evolution **10**(5): 970-970.
- Arnason, U. A., A. Gullberg, et al. (2004). "Mitogenomic analyses provide new insights into cetacean origin and evolution." Gene **333**: 27-34.
- Aurioles-Gamboa, D., J. Urban-R., et al. (1993). Dwarf sperm whale strandings and sightings on the southwest coast of the Gulf of California, Mexico. Tenth Biennial Conference on the Biology of Marine Mammals, Galveston, Texas, USA.
- Baccetti, N., F. Cancelli, et al. (1991). "First record of *Kogia simus* (Cetacea, Physteridae) from the Mediterranean Sea." Mammalia **55**(1): 152-154.
- Bachman, M. J., J. M. Miller, et al. (2014). "Persistent organic pollutant concentration in blubber of 16 species of cetaceans stranded in the Pacific Islands from 1997 through 2011." Science of the Total Environment **488-489**: 115-123.
- Backhouse, K. M. (1972). "The nasal apparatus of the pygmy sperm whale (*Kogia breviceps*)." Journal of Anatomy **113**: 275.
- Bagge, L. E., H. N. Koopman, et al. (2012). "Lipid class and depth-specific thermal properties in the blubber of the short-finned pilot whale and the pygmy sperm whale." The Journal of Experimental Biology **215**: 4330-4339.
- Baird, R. W., D. Nelson, et al. (1996). "The status of the pygmy sperm whale, *Kogia breviceps*, in Canada." Canadian Field-Naturalist **110**: 525-532.
- Baird, C. L., P. Cunningham-Smith, et al. (2001). Development of a milk replacement formula for an orphaned pygmy sperm whale calf. 29th Annual Conference of the International Marine Animal Trainers Association, Albuquerque, New Mexico, USA.
- Baird, R. W., D. J. McSweeney, et al. (2003). Studies of odontocete population structure in Hawaiian waters: Results of a survey through the main Hawaiian islands in May and June 2003. Halifax, Nova Scotia, Canada, Department of Biology, Dalhousie University: 25.
- Baird, R. W. (2005). "Sightings of dwarf (*Kogia sima*) and pygmy (*K. breviceps*) sperm

- whales from the main Hawaiian Islands." Pacific Science **59**(3): 461-466.
- Baird, R. W., G. S. Schorr, et al. (2006). Studies of beaked whale diving behavior and odontocete stock structure in Hawai'i in March/April 2006. Final report, NMFS SWFSC Contract No. AB133F-06-CN-0053. Olympia, WA, Cascadia Research Collective: 30.
- Baird, R. W., G. S. Schorr, et al. (2006). A survey for Odontocete cetaceans of Kauai and Ni'ihau, Hawai'i, during October and November 2005: Evidence for population structure and site fidelity. Report to Pacific Islands Fisheries Science Center, NOAA Fisheries Order No. AB133F05SE5197. Olympia, Washington, USA, Cascadia Research Collective: 16.
- Baker, A. N. and A. L. Van Helden (1990). "First record of the dwarf sperm whale, *Kogia simus* (Owen), from New Zealand." National Museum of New Zealand Records **3** (12): 125-130.
- Ballance, L. T. and R. L. Pitman (1998). "Cetaceans of the western tropical Indian Ocean: Distribution, relative abundance, and comparisons with cetacean communities of two other tropical systems." Marine Mammal Science **14**: 429-459.
- Ballance, L. T., R. C. Anderson, et al. (2001). "Cetacean sightings around the Republic of the Maldives, April 2001." Journal of Cetacean Research and Management **3** (2): 213-218.
- Baran, M., R. K. Moore, et al. (2001). Summary of rescue, rehabilitation and release of cetaceans from the Clearwater Marine Aquarium from 1993 through January 2001. Annual Conference of the International Association for Aquatic Animal Medicine, Tampa, Florida, USA.
- Barlow, J., K. Forney, et al. (1995). Report of cetacean acoustic detection and dive interval studies (CADDIS) conducted in the southern Gulf of California, 1995. La Jolla, California, National Marine Fisheries Service.
- Barlow, J., K. Forney, et al. (1996). Diving patterns of beaked whales and dwarf sperm whales in the southern Gulf of California. Reunion Internacional para el Estudio de los Mamiferos Marinos.
- Barlow, J. (1999). Trackline detection probability for long-diving whales. Marine Mammal Survey and Assessment Methods: 209-224.
- Barlow, J. (2003). Cetacean abundance in Hawaiian waters during summer/fall of 2002. La Jolla, California, National Marine Fisheries Service, Southwest Fisheries Science Center.
- Barlow, J. (2006). "Cetacean abundance in Hawaiian waters estimated from a summer/fall survey in 2002." Marine Mammal Science **22**(2): 446-464.
- Barlow, J. and F. K. A. (2007). "Abundance and population density of cetaceans in the California Current system." Fishery Bulletin (U.S.) **105**: 509-526.
- Barnes, L. (1973). "*Praekogia cedrosensis*, a new genus and species of fossil pygmy sperm whale from Isla Cedros, Baja California, Mexico." Los Angeles County Museum Contributions in Science **247**: 1-20.
- Barros, N. B., D. K. Odell, et al. (1990). Ingestion of plastic debris by stranded marine mammals from Florida. Second International conference on Marine Debris, Honolulu, Hawaii, USA, NOAA, National Marine Fisheries Service.
- Barros, N. B., D. A. Duffield, et al. (1998). Nearshore vs. offshore ecotype differentiation of *Kogia breviceps* and *K. sima* based on hemoglobin, morphometric and dietary analyses. World Marine Mammal Science Conference,

- Monaco.
- Barros, N. B. and D. A. Duffield (2003). Unraveling the mysteries of pygmy and dwarf sperm whales. Strandings: Newsletter of the Southeastern U.S. Marine Mammal Stranding Network; NOAA Technical Memorandum NMFS-SEFSC-521. Miami, FL: 11.
- Bastida, R., D. Rodriguez, et al. (1988). Sobre un nuevo registro de cachalote pigmeo, *Kogia breviceps* (Blainville, 1838) para la costa del Atlantico Sud-occidental. III Reunion de Trabajo de Especialistas en Mamiferos Acuaticos de America del Sur, Montevideo, Uruguay.
- Baulch, S. and C. Perry (2014). "Evaluating impacts of marine debris on cetaceans." Marine Pollution Bulletin **80**: 210-221.
- Baumgartner, M. F., K. D. Mullin, et al. (2001). "Cetacean habitats in the northern Gulf of Mexico." Fishery Bulletin (U.S.) **99**: 219-239.
- Beasley, I. L. and P. J. A. Davidson (2007). "Conservation status of marine mammals in Cambodian waters, including seven new cetacean records of occurrence." Aquatic Mammals **33**(3): 368-379.
- Beatson, E. (2007). "The diet of pygmy sperm whales, *Kogia breviceps*, stranded in New Zealand: implications for conservaton." Rev. Fish. Biol. Fisheries **17**: 295-303.
- Beatson, E., S. O'Shea, et al. (2007). "First report on the stomach contents of long-finned pilot whales, *Globicephala melas*, stranded in New Zealand." New Zealand Journal of Zoology **34**: 51-56.
- Beckmen, K. B. (1986). Gross and microscopic anatomy of the female reproductive tracts of the dwarf and pygmy sperm whales (genus *Kogia*). Rosenstiel School of Marine and Atmospheric Science. Coral Gables, University of Miami: vii + 58.
- Beddard, F. E. (1902). Mammalia. London, Macmillan.
- Benham, W. B. (1901). "On the anatomy of *Cogia breviceps*." Proceedings of the Zoological Society of London **1902**(2): 107-134.
- Benham, W. B. (1901). "On the larynx of certain whales (*Kogia*, *Balaenoptera* and *Ziphius*)." Proceedings of the Zoological Society of London **1901**(1): 278-300.
- Benham, W. B. (1902). "Notes on the osteology of the short-nosed sperm-whale." Proceedings of the Zoological Society of London **1902**(1): 54-62.
- Benham, W. B. (1902). "Notes on *Cogia breviceps*, the lesser sperm whale." Transactions and Proceedings of the New Zealand Institute **34**: 155-168.
- Benson, K. A. S., C. A. Manire, et al. (2006). "Identification of novel alpha- and gammaherpesviruses from cutaneous and mucosal lesions of dolphins and whales." Journal of Virological Methods **136**: 261-266.
- Berini, C. R., L. M. Kracker, et al. (2009). Pygmy sperm whale (*Kogia breviceps*, de Blainville 1838) strandings along the southeastern coast of the United States: an analysis of association with environmental factors. SEAMAMMS 2009, University of North Carolina at Wilmington.
- Berini, C. R., L. M. Kracker, et al. (2015). "Modeling pygmy sperm whale (*Kogia breviceps*, De Blainville 1838) strandings along the southeast coast of the United States from 1992 to 2006 in relation to environmental factors." NOAA Technical Memorandum NOS NCCOS **203**: 1-44.
- Bermudez-Villapol, L. A. and A. J. Sayegh (2005). Cetacean Strandings in Nueva Esparta State, Venezuela, period 2000-2004. 16th Biennial Conference on the

- Biology of Marine Mammals, San Diego, California, USA.
- Bernard, G. (1911). "*Kogia breviceps* Blainville." Annales Societe Science Naturelle Charenie-Maritime **36**: 21-25.
- Bernini, C. R., W. E. McFee, et al. (2007). Pygmy sperm whale (*Kogia breviceps*, de Blainville 1838) strandings along the southeastern coast of the United States: Geographic information system based analysis of association with environmental factors (abstract - poster). 17th Biennial Conference on the Biology of Marine Mammals, Cape Town, South Africa, The Society for Marine Mammalogy.
- Berrow, S. D. and E. Rogan (1997). "Review of cetaceans stranded on the Irish coast, 1901-1995." Mammal Review **27**: 51-76.
- Best, B. D., P. N. Halpin, et al. (2012). "Online cetacean habitat modeling system for the US east coast and Gulf of Mexico." Endangered Species Research **18**: 1-15.
- Bianucci, G. (1997). "The Odontoceti (Mammalia, Cetacea) from Italian Pliocene. The Ziphiidae." Palaeontographica Italica **84**: 163-192.
- Bianucci, G. and W. Landini (1999). "*Kogia pusilla* from the middle Pliocene of Tuscany (Italy) and a phylogenetic analysis of the family Kogiidae (Odontoceti, Cetacea)." Rivista Italiana di Paleontologiae Stratigrafia **105**(3).
- Bianucci, G. and W. Landini (2006). "Killer sperm whale: a new physeteroid (Mammalia, Cetacea) from the Late Miocene of Italy." Zoological Journal of the Linnean Society **148**(1): 103-131.
- Birchler, B. and C. W. Potter (1999). Dwarf Sperm Whale - *Kogia simus*. The Smithsonian Book of North American Mammals. D. E. Wilson and S. Ruff. Washington, DC, Smithsonian Institution Press: 302-303.
- Blainville, H. M. D. d. (1838). "Sur les cachalotes." Annals Francais Et Etrang d'Anatomie et de Physiologie **2**: 335-337.
- Bland, K. P. and A. C. Kitchener (2001). "The anatomy of the penis of a Sperm Whale (*Physeter catodon* L., 1758)." Mammal Review **31**(3): 239-244.
- Bloodworth, B. E. and C. D. Marshall (2005). Kinematic Analysis of Suction and Ram Feeding in *Kogia* and *Tursiops* (Odontoceti: Cetacea). 16th Biennial Conference on the Biology of Marine Mammals, San Diego, California, USA.
- Bloodworth, B. and C. D. Marshall (2005). "Feeding kinematics of *Kogia* and *Tursiops* (Odontoceti: Cetacea): characteriation of suction and ram feeding." The Journal of Experimental Biology **208**: 3721-3730.
- Bloodworth, B. and C. D. Marshall (2006). Biomechanics and functional morphology of suction and ram feeding in *Kogia* and *Tursiops* (Odontoceti: Cetacea). Annual Meeting of the American Society of Mammalogists, University of Massachusetts, Amherst, MA.
- Bloodworth, B. E. and C. D. Marshall (2007). "A functional comparison of the hyolingual complex in pygmy and dwarf sperm whales (*Kogia breviceps* and *K. sima*), and bottlenose dolphins (*Tursiops truncatus*)." Journal of Anatomy **211**(1): 78-91.
- Bloodworth, B. E. and D. K. Odell (2008). "*Kogia breviceps* (Cetacea: Kogiidae)." Mammalian Species **819**: 1-12.
- Borodino, P. and E. R. Secchi (1992). Presencia de *Anisakis physeteris* (Nematoda), parasitando a *Kogia breviceps* (Cetacea), en el sur de Brasil. V Reunion Trabajo Especialistas Mamiferos Acuaticos America Sur, Buenos Aires, Argentina.
- Borsa, P. (2006). "Marine mammal strandings in the New Caledonia region, Southwest Pacific." C. R. Biologies **329**: 277-288.
- Bortolotto, A., L. Papini, et al. (2003). First record of a dwarf sperm whale, *Kogia sima*

- (Owen, 1866) stranded alive along the coasts of Italy. 31st Symposium of the European Association for Aquatic Mammals, Tenerife, Spain.
- Bossart, G. D., D. K. Odell, et al. (1986). "Cardiomyopathy in stranded pygmy and dwarf sperm whales." Journal of the American Veterinary Medical Association **187**: 1137-1140.
- Bossart, G. D., G. Hensley, et al. (2007). "Cardiomyopathy and myocardial degeneration in stranded pygmy (*Kogia breviceps*) and dwarf (*Kogia sima*) sperm whales." Aquatic Mammals **33**(2): 214-222.
- Bottomley, J. and J. A. Theriault (2002). DRDC Atlantic Q-271 SEA TRIAL - Marine Mammal Impact Mitigation Plan. Dartmouth, Nova Scotia, Canada, Defense R&D Canada - Atlantic: 15.
- Bowles, D. (1999). An overview of the concentrations and effects of metals in cetacean species. Chemical Pollutants and Cetaceans. Special Issue 1. The Journal of Cetacean Research and Management. P. J. H. Reijnders, A. Aguilar and G. P. Donovan. Cambridge, UK, International Whaling Commission: 125-148.
- Brabyn, M. (1991). "An analysis of the New Zealand whale stranding record." New Zealand Department of Conservation Science and Research Series **29**.
- Breese, D. and B. R. Tershy (1993). "Relative abundance of Cetacea in the Canal de Ballenas, Gulf of California." Marine Mammal Science **9**: 319-324.
- Brimley, H. H. (1945). "*Kogia breviceps* and *Mesoplodon mirus* in the neighborhood of the Oregon Inlet, North Carolina." Journal of Mammalogy **26**: 434.
- Brito, J. (1996). Segundo registro de *Kogia simus* para la costa de Chile. VII Reunion de Trabajo de Especialistas en Mamiferos Acuaticos de America del Sur and I Congreso de la Sociedad Latinoamericana de Especialistas en Mamiferos Acuaticos, Vina del Mar, Chile.
- Brito, J. L. (1996). Nuevos registros de cetaceos para las aguas de Chile central. Reunion de Trabajo de Especialistas en Mamiferos Acuaticos de America del Sur.
- Brown, S. G. (1975). "Relation between stranding mortality and population abundance of smaller Cetacea and the northeast Atlantic Ocean." Journal of the Fisheries Research Board of Canada **32**(7): 1095-1099.
- Brown, E. D., G. D. Bossart, et al. (1988). "The microscopic and immunohistologic anatomy of the endocrine pancreas of pygmy and dwarf sperm whales (*Kogiidae*)." Marine Mammal Science **4**(291-296).
- Brownell, J., R. L. (1969). "Pygmy sperm whale in the Gulf of California." Journal of Mammalogy **50**: 356-357.
- Buck, J. D. (1984). "Microbiological observations on two stranded live whales." Journal of Wildlife Diseases **20**(2): 148-153.
- Burdette, L., W. McFee, et al. (2004). Working backwards: Using rope impressions of marine mammals to create GIS maps that may identify potential sources of entanglement. Southeast and Mid-Atlantic Marine Mammal Symposium, Harbor Branch Oceanographic Institution, Ft. Pierce, FL.
- Bustamante, P., C. Garrigue, et al. (2003). "Trace elements in two odontocete species (*Kogia breviceps* and *Globicephala macrorhynchus*) stranded in New Caledonia (South Pacific)." Environmental Pollution **124**(2003): 263-271.
- Byard, R. W., A. J. Machado, et al. (2011). "Endobronchial sand casts: an unusual marker of saltwater immersion in a juvenile pygmy sperm whale (*Kogia breviceps*)." Forensic Science Medical Pathology **7**: 222-224.
- Byrd, B. L., A. A. Hohn, et al. (2014). "Strandings as indicators of marine mammal

- biodiversity and human interactions off the coast of North Carolina." Fishery Bulletin (U.S.) **112**: 1-23.
- Cadenat, J. (1956). "A propos de cachalog." Notes Africaines **71**: 82-92.
- Cain, S., C. LaCerte, et al. (2009). Marine mammal sightings in the Indian Ocean observed during the voyage of the Odyssey. Eighteenth Biennial Conference on the Biology of Marine Mammals, Quebec City, Quebec, Canada.
- Caldwell, D. K., A. Ingles, et al. (1960). "Sperm and pygmy sperm whales stranded in the Guf of Mexico." Journal of Mammalogy **41**(1): 136-138.
- Caldwell, D. K. and F. B. Golley (1965). "Marine mammals from the coast of Georgia to Cape Hatteras." Journal of the Elisha Mitchell Scientific Society **81**(1): 24-32.
- Caldwell, D. K., J. H. Prescott, et al. (1966). "Production of pulsed sound by the pygmy sperm whale, *Kogia breviceps*." Bulletin of the Southern California Academy of Science **65**: 245-248.
- Caldwell, D. K., M. C. Neuhauser, et al. (1971). "Recent records of marine mammals from the coasts of Georgia and South Carolina." Cetology **5**: 1-12.
- Caldwell, D. K., M. C. Caldwell, et al. (1971). "A preliminary report on some ectoparasites and nasal sac parasites from small odontocete cetaceans from Florida and Georgia." Marineland of Florida Research Laboratory Technical Report **5**: 1-7.
- Caldwell, D. K., M. C. Caldwell, et al. (1973). "Dwarf serpm whale, *Kogia simus*, from the Lesser Antillean island of St. Vincent." Journal of Mammalogy **54**: 515-517.
- Caldwell, D. K. and M. C. Caldwell (1987). Abstract -Underwater echolocation-type clicks by captive stranded pygmy sperm whales, *Kogia breviceps*. Seventh Biennial Conference on the Biology of Marine Mammals, Miami, Florida, USA, Society for Marine Mammalogy.
- Caldwell, D. K. and M. C. Caldwell (1989). Pygmy sperm whale, *Kogia breviceps* (de Blainville, 1838): Dwarf sperm whale, *Kogia simus*, Owen, 1866. Handbook of Marine Mammals: River Dolphins and the Larger Toothed Whales. S. H. a. H. Ridgway, R. J. San Diego, Academic Press. **4**: 235-260.
- Caldwell, M. C. and D. K. Caldwell (1991). A note describing sounds recorded from two cetacean species, *Kogia breviceps* and *Mesoplodon europaeus*, stranded in northeastern Florida. Marine Mammal Strandings in the United States: Proceedings of the Second Marine Mammal Stranding Workshop, Miami, Florida, NOAA Technical Report NMFS.
- Caminas, J. A. and J. C. Rey (1988). "First record of a pygmy sperm whale (*Kogia breviceps*) on the southern Spanish Atlantic coast (Gulf of Cadiz)." EUROPEAN RESEARCH ON CETACEANS **2**: 27-29.
- Candela, S. (1987). Cephalopod prey of pygmy and dwarf sperm whales (*Kogia breviceps* and *K. simus*) stranded in Florida and Geogia. Seventh Biennial Conference on the Biology of Marine Mammals, Miami, Florida, USA.
- Cantu-Medellin, N., B. Byrd, et al. (2011). "Differential antioxidant protection in tissues from marine mammals with distinct diving capacities. Short/shallow vs. deep/long divers." Comparative Biochemistry and Physiology **158A**: 438-443.
- Carballiera, A., J. W. Brown, et al. (1987). "The adrenal gland of stranded whales (*Kogia breviceps* and *Mesoplodon europaeus*): Morphology, hormonal contents, and biosynthesis of corticosteroids." General and Comparative Endocrinology **68**: 293-303.
- Carballiera, A., J. W. Brown, et al. (1987). "The adrenal gland of stranded whales

- (*Kogia breviceps* and *Mesoplodon europaeus*): *In vitro* modulation of mitochondrial steroid enzyme activities." General and Comparative Endocrinology **68**: 304-312.
- Carder, D. A. and S. H. Ridgway (1994). "Abstract: A portable system for physiological assessment of hearing in marine animals." Journal of the Acoustical Society of America **96**(5): 3316.
- Carder, D., S. H. Ridgway, et al. (1995). Hearing and echolocation in a pygmy sperm whale *Kogia*. Eleventh Biennial Conference on the Biology of Marine Mammals, Orlando, Florida, USA.
- Cardona-Maldonado, M. A. I. and A. A. Mignucci-Giannoni (1998). Estatus de los cachalotes pigmeo y enano (*Kogia* spp.) en el Caribe. Congreso da Sociedade Latinoamericana em Mamíferos Aquáticos (SOLAMAC), Olinda, Brasil.
- Cardona-Maldonado, M. A. and A. A. Mignucci-Giannoni (1999). "Pygmy and dwarf sperm whales in Puerto Rico and the Virgin Islands with a review of *Kogia* in the Caribbean." Caribbean Journal of Science **35**(1-2): 29-37.
- Carillo, M. and F. Ritter (2010). "Increasing numbers of ship strikes in the Canary Islands: Proposals for immediate action to reduce risk of vessel-whale collisions." Journal of Cetacean Research and Management **11**(2): 131-138.
- Carrillo, M. and F. Ritter Increasing numbers of ship strikes in the Canary Islands: Proposals for immediate action to reduce risk of vessel-whale collisions, International Whaling Commission: 1-9.
- Carrillo, M. and F. Ritter (2010). "Increasing numbers of ship strikes in the Canary Islands: proposals for immediate action to reduce risk of vessel-whale collisions." Journal of Cetacean Research and Management **11**(2): 131-138.
- Carvalho, C. (1966). "Notas sobre *Kogia breviceps* (Cetacea, Physeteridae)." Revista de Biologia Tropical **114**(2): 169-181.
- Carvalho, C. T. (1967). "Pygmy sperm whale (*Kogia breviceps*) in Brasil." Mammalia **31**(1): 168-169.
- Carvan, M. J. I. (1988). The descriptive anatomy of sound production and propagation tissues in *Kogia* spp. using magnetic resonance and computed tomography imaging. Division of Biology, RSMAS. Coral Gables, University of Miami: 83.
- Carvan III, M. J. (1987). Comparison of magnetic resonance and computed tomography imaging for use in the descriptive anatomy of sound production and propagation of *Kogia* spp. Seventh Biennial Conference on the Biology of Marine Mammals, Miami, Florida, USA, Society for Marine Mammalogy.
- Carvan III, M. J. (1988). The descriptive anatomy of sound production and propagation tissues in *Kogia* spp. using magnetic resonance and computed tomography imaging. Rosenstiel School of Marine and Atmospheric Science. Coral Gables, University of Miami: viii + 72.
- Casinos, A. (1977). "On a stranding of a pigmy sperm whale *Kogia breviceps* (Blainville, 1838) on the Canary Islands." Saugetierkunde Mitteilung **25**(1): 79-80.
- Casper, D., H. L. Rhinehart, et al. (1990). Monitoring heat flow in dolphins: a new method for assessing optimal water temperature. 18th Annual Conference of the International Marine Animal Trainers Association, Chicago, Illinois, USA.
- Castello, H., F. Erize, et al. (1986). Pirmer registro del cachalote pigmeo, *Kogia breviceps* (Blainville, 1838) para las costas de la Republica Argentina. Reunion de Treabajo de Especialistas en Mamíferos Acuáticos de America del Sur,

- Buenos Aires, Argentina.
- Cendrero, O. (1993). "Note on findings of cetaceans off northern Spain." Boletin del Instituto Espanol de Oceanographia (Madrid) **9**(1): 251-255.
- Centro Studi Cetacei (2004). "Cetacei spiaggiata lungo le coste italiane. XVII. Rendiconto 2002 (Mammalia)." Atti Soc it. Sci nat. Museo civ. Stor. nat. Milano **145**(1): 155-169.
- Chantrapornsyl, S., C. Kinze, et al. (1991). Notes on the genus *Kogia* in the northern Indian Ocean. Cetaceans and Cetacean Research in the Indian Ocean Sanctuary. Marine Mammal Technical Report No. 3. Nairobi, Kenya, United Nations Environmental Programme. **3**: 79-88.
- Cheruvu, B., R. Johnson, et al. (2004). Virtual autopsy of a pygmy sperm whale. National Student Research Forum, University of Texas Medical Branch, Galveston, Texas, USA.
- Childerhouse, S. (2002). Cetacean Research in New Zealand 2001. Department of Conservation Internal Science Series No. 87. Wellington, New Zealand, New Zealand Department of Conservation: 18.
- Childerhouse, S. and M. Donoghue (2002). Cetacean research in New Zealand 1997-2000. Department of Conservaton Science Internal Series No. 46. Wellington, New Zealand, Department of Conservation: 11.
- Childerhouse, S. (2004). Cetacean reserach in New Zealand 2002/03. Department of Conservation Science Internal Series No. 158. Wellington, New Zealand, Department of Conservation: 21.
- Chiu, J. T., W. C. Yang, et al. (2002). "Hematological, pathological and clinical investigation of stranded cetaceans in Taiwan (Chinese)." Taiwan Veterinary Journal **28**(1): 64-73.
- Chiu, J.-T., W.-C. Yang, et al. (2003). Pathological examinations of the stranded *Kogia* sp. from Taiwan waters, 1998 to 2002. 34th Annual Conference of the International Association for Aquatic Animal Medicine, Waikoloa, Hawaii, International Association for Aquatic Animal Medicine.
- Chivers, S. J., R. G. Le Duc, et al. (2004). Large inter-ocean genetic differences within *Kogia sima* indicate long-term isolation and possibly a new species (abstract). Cetacean Systematics: Approaches in genetics, morphology and behavior, La Jolla, Californai.
- Chivers, S. J., R. G. Leduc, et al. (2005). "Genetic variation of *Kogia* spp. with preliminary evidence for two species of *Kogia sima*." Marine Mammal Science **21** (4): 619-634.
- Choi, M., H.-B. Moon, et al. (2011). "Accumulation of butyltin compounds in cetaceans from Korean coastal waters." Marine Pollution Bulletin **62**: 1120-1123.
- Chou, W.-H. (1989). "First record of dwarf sperm whale (*Kogia simus*) from Taiwan." Bulletin of the National Museum of Natural Science (Taiwan) **1**: 23-27.
- Chou, C. C., Y. N. Chen, et al. (2004). "Congener-specific polychlorinated biphenyls in cetaceans from Taiwanwaters." Archives of Environmental Contamination and Toxicology **47**: 551-560.
- Christopher, S. J., R. S. Pugh, et al. (2007). "Description and results of the NIST/NOAA interlaboratory comparison exercise for trace elements in marine mammals." Accred. Qual. Assur. **12**: 175-187.
- Clark, A. H. (1945). "(worldwide *Kogia* distribution notes)." Smithsonian Institution. War

- Background Studies 21: 54.
- Clark, R. A., C. M. Johnson, et al. (2012). "Cetacean sightings and acoustic detections in the offshore waters of the Maldives during northeast monsoon seasons of 2003 and 2004." Journal of Cetacean Research and Management **12**(2): 227-234.
- Clarke, M. R. (1996). "Cephalopods as prey: cetaceans: the role of cephalopods in the world's oceans." Philosophical Transactions of the Royal Society of London, Series B **351**: 1053-1065.
- Clarke, M. R. (2003). "Production and control of sound by the small sperm whales, *Kogia breviceps* and *K. sima*, and their implications for other Cetacea." Journal of the Marine Biological Association of the United Kingdom **83**: 241-263.
- Clarke, R. (2006). "The origin of ambergris." Latin American Journal of Aquatic Mammals **5**(1): 7-21.
- Cockcroft, V. G., G. J. B. Ross, et al. (1991). Occurrence of organochlorines in stranded cetaceans and seals from the east coast of Southern Africa. Cetaceans and Cetacean Research in the Indian Ocean Sanctuary. S. Leatherwood and R. R. Reeves. Nairobi, Kenya, United Nations Environment Programme. **3**: 271-276.
- Colon-Llavina, M. M., A. A. Mignucci-Giannoni, et al. (2009). "Additional records of metazoan parasites from Caribbean marine mammals, including genetically identified anisakid nematodes." Parasitology Research **105**: 1239-1252.
- Commission, M. M. (2010). The Marine Mammal Commission Annual Report to Congress 2009. Bethesda, U. S. Marine Mammal Commission: 281.
- Cordero, V. U., E. O. Keith, et al. (2009). An assessment of oceanographic correlates with *Kogia* strandings in Florida. SEAMAMMS 2009, University of North Carolina at Wilmington.
- Cordero, V. U., E. O. Keith, et al. (2009). Correlations between oceanographic variables and *Kogia* strandings in Florida. Eighteenth Biennial Conference on the Biology of Marine Mammals, Quebec City, Quebec, Canada, Society for Marine Mammalogy.
- Cowan, D. F. (2004). Changes in patterns of disease in dolphins stranding along the Texas Gulf coast. International Association for Aquatic Animal Medicine Annual Conference, Galveston, TX.
- Cowan, D. F. and B. E. Curry (2008). "Histopathology of the alarm reaction in small odontocetes." Journal of Comparative Pathology **139**: 24-33.
- Cowardine, M. (1995). Whales, Dolphins and Porpoises. London, UK, Dorling Kindersley.
- Cranford, T., M. Amundin, et al. (1996). "Functional morphology and homology in the Odontocete nasal complex: Implications for sound generation." Journal of Morphology **228**: 223-285.
- Credle, V. R. (1988). Magnetite and magnetoreception in stranded dwarf and pygmy sperm whales, *Kogia simus* and *Kogia breviceps*. Rosenstiel School of Marine and Atmospheric Science. Coral Gables, University of Miami: viii + 86.
- Creton, P., E. Hussenot, et al. (1992). A dwarf sperm-whale, *Kogia simus*, stranded in Brittany: Second record from Atlantic European waters. Proceedings of the Sixth Annual Conference of the European Cetacean Society, San Remo, Italy, European Cetacean Society.
- Cronin, T. W. and J. I. Fasick (1998). "Video photoretinoscopy of the eyes of the small

- odontocetes *Tursiops truncatus*, *Phocoena phocoena* and *Kogia breviceps*." Marine Mammal Science **14**(3): 584-590.
- Crovetto, A. and H. Toro (1983). "Presence de *Kogia simus* (Cetacea, Physeteridae) dans les eaux Chiliennes." Mammalia **47**: 591-593.
- Culik, B. (2000). *Kogia breviceps* (de Blainville, 1838). **2005**.
- Culik, B. (2000). *Kogia sima* (Owen, 1866). **2005**.
- Culik, B. (2002). Whales & Dolphins. Summary of the available knowledge on toothed whale distribution, behaviour, migration and threats, UNEP, Wildlife Conservation Monitoring Centre, Convention on Migratory Species. **2006**.
- Cunningham-Smith, P., D. Smith, R., et al. (2001). Saving Ami: Using operant conditioning techniques to raise an orphaned pygmy sperm whale calf (*Kogia breviceps*). 29th Annual Conference of the International Marine Animal Trainers Association, Albuquerque, New Mexico, USA.
- Dailey, M. and J. Brownell, R. L. (1972). A check list of marine mammal parasites. Mammals of the Sea: Biology and Medicine. S. H. Ridgway. Springfield, IL, C. C. Thomas: 528-589.
- Davis, R. W., G. S. Fargion, et al. (1998). "Physical habitat of cetaceans along the continental slope in the north-central and western Gulf of Mexico." Marine Mammal Science **14**(3): 490-507.
- Davis, R. W., J. G. Ortega-Ortiz, et al. (2002). "Cetacean habitat in the northern oceanic Gulf of Mexico." Deep-Sea Research I **29**: 121-142.
- Dawson, W. W. (1980). The Cetacean Eye. Cetacean Behavior: Mechanisms and Functions. L. M. Herman. New York, New York, USA, Wiley-Interscience: 53-100.
- De Carvalho, C. T. (1967). "Pygmy sperm whale (*Kogia breviceps*) in Brazil." Mammalia **31**(1): 168-169.
- de Quiros, M. B., O. Gonzalez-Diaz, et al. (2012). "Decompression vs. decomposition: distribution, amount, and gas composition of bubbles in stranded marine mammals." Frontiers in Physiology **3**: 1-19.
- Deardorff, T. L. and R. M. Overstreet (1981). "*Terranova ceticola* n. sp. (Nematoda: Anisakidae) from the dwarf sperm whale, *Kogia simus* (Owen), in the Gulf of Mexico." Systematic Parasitology **3**: 25-28.
- Debrot, A. and N. B. Barros (1992). "Notes on Gervais' beaked whale, *Mesoplodon europaeus*, and a dwarf sperm whale, *Kogia simus*, stranded in Curacao, Netherlands Antilles." Marine Mammal Science **8**: 172-178.
- Dede, A., A. Saad, et al. (2012). "Cetacean sightings in the Eastern Mediterranean Sea during the cruise in summer 2008." Journal of the Black sea/Mediterranean Environment **18**(1): 49-57.
- Defran, R. H. and K. Pryor (1980). The Behavior and Training of Cetaceans in Captivity. Cetacean Behavior - Mechanisms and Functions. L. M. Herman. New York, Wiley-Interscience: 319-362.
- Degollada, E., M. Andre, et al. (2001). Fisheries-related traumatic shock deaths in pygmy sperm whales, *Kogia breviceps*. European Research on Cetaceans, Rome, Italy, European Cetacean Society.
- Deiter, R. L. (1987). Recovery and necropsy of marine mammal carcasses in and near the Point Reyes National Seashore; May 1982 - March 1987.
- Delage, Y. (1903). "Capture d'un cachalot du genre *Kogia* Gray sur les cotes de la Manche a Rascoff." Compte Rendus Academie des Sciences, Paris **142**: 258-

260.

- Delgado-Estrella, A., R. B. Villa, et al. (1998). "First records of dwarf sperm whale (*Kogia simus*), pygmy sperm whale (*Kogia breviceps*) and pygmy killer whale (*Feresa attenuata*) in Veracruz, Mexico." Annales del Instituto de Biologia de la Universidad Nacional Autonoma de Mexico. Serie Zoologia **69**(1): 129-134.
- Dell, R. (1960). "The New Zealand occurrences of the pygmy sperm whale *Kogia breviceps*." Records of the Domestic Museum of Wellington **3**(2): 229-235.
- Di Azevedo, M. I. N., M. Knoff, et al. (2015). "Morphological and genetic identification of *Anisakis paggiae* (Nematoda: Anisakidae) in dwarf sperm whale *Kogia sima* from Brazillian waters." Diseases of Aquatic Organisms **113**: 103-111.
- Dines, J. P., S. L. Mesnick, et al. (2015). "A trade-off between precopulatory and postcopulatory trait investment in male cetaceans." Evolution **69**(6): 1560-1572.
- Dolar, M. L., S. Leatherwood, et al. (1994). "Directed fisheries for cetaceans." Reports of the International Whaling Commission **44**: 439-449.
- Dolar, M. L. (1999). Abundance, distribution and feeding ecology of small cetaceans in the Eastern Sulu Sea and Tanon Strait, Philippines. San Diego, California, USA, University of California San Diego.
- Dolar, M. L. L. and W. F. Perrin (2002). Cetacean habitats in the eastern Sulu Sea and Tanon Strait (Abstract). Symposium on the Biology and Conservation of Small Cetaceans and Dugongs in South-East Asia, Silliman University, Dumaguete City, Philippines, UNEP/CMS Secretariat, Bonn, Germany.
- Dolar, L. and W. F. Perrin (2003). Dwarf sperm whale (*Kogia sima*) habitats in the Philippines. 15th Biennial Conference on the Biology of Marine Mammals, Greensboro, North Carolina, USA, Society for Marine Mammalogy.
- Dollfus, R. (1966). "Helminthofauna de *Kogia breviceps* (de Blainville 1838) Cetace Odontocete." Annales de la Societe des Sciences Naturelles de la Charente-Maritime **4**: 3-6.
- Dolman, S., D. Claridge, et al. (2007). Monitoring abundance trends of Bahamian odontocetes (abstract). 17th Biennial Conference on the Biology of Marine Mammals, Cape Town, South Africa, The Society for Marine Mammalogy.
- Donovan, T. E., G. H. Mitchell, et al. (2007). Environmental correlates of *Kogia* strandings in the southeastern USA. (abstract - oral presentation). 17th Biennial Conference on the Biology of Marine Mammals, Cape Town, South Africa, The Society for Marine Mammalogy.
- dos Santos, R. A. and M. Haimovici (2000). "The Argentine short-finned squid *Illex argentiis* in the food webs of southern Brazil." Sarsia **85**: 49-60.
- dos Santos, R. A. and M. Haimovici (2001). "Cephalopods in the diet of marine mammals stranded or incidentally caught along southeastern and southern Brazil." Fisheries Research (Amsterdam) **52**(1-2): 99-112.
- dos Santos, R. A. and M. Haimovici (2002). "Cephalopods in the trophic relations off southern Brazil." Bulletin of Marine Science **71**(2): 753-770.
- Duffield, D. A., J. Chamberlin-Lea, et al. (1991). Use of corneal cell culture for R-band chromosome studies of stranded cetaceans. Marine Mammal Strandings in the United States. Proceedings of the Second Marine Mammal Stranding Workshop. NOAA Technical Report NMFS. I. Reynolds, J. E. and D. K. Odell. Seattle, Washington, USA, U.S. Department of Commerce, NOAA, NMFS. **98**: 91-100.
- Duffield, D. A., N. B. Barros, et al. (2003). "Identifying pygmy and dwarf sperm whales

- (Genus *Kogia*) using electrospray ionization mass spectrometry of myoglobin and hemoglobin." Marine Mammal Science **19**(2).
- Duffield, D. A., H. R. Zornetzer, et al. (2004). Use of biomarkers as species-level systematic and forensic molecular tools in the detection of cetacean hybrids (abstract). Cetacean Systematics: Approaches in genetics, morphology and behavior, LaJolla, California.
- Duguy, R. (1966). "Quelques donnees nouvelles sur un Cetace rare sur les cotes d'Europe: le Cachalote a tete courte *Kogia breviceps*." Mammalia **30**(2): 259-269.
- Duguy, R. (1966). "Helminthofaune de *Kogia breviceps* (Blainville 1838) Cetace, Odontocete." Annales de la Society des Science Naturalles de la Charente-Maritime **4**(5): 3-6.
- Duguy, R. (1972). "A note on three Odontocetes (Cetacea) stranded on the Charente-Maritime coast." Mammalia **36**(1): 157-160.
- Duguy, R. and P. Budker (1972). "Rapport annuel sur les cetaces et pinnipedes trouves sur les cotes de France I. Annee 1971." Mammalia **36**: 517-520.
- Duguy, R. (1974?). "Contribution l'etude des mammiferes marins de la cote nord-ouest Afrique." Rev. Trav. Inst. Peches Marit. **39**(3): 321-332.
- Duguy, R. (1977). Notes on the small cetaceans off the coasts of France. Reports of the International Whaling Commission. G. P. Donovan. London, UK, International Whaling Commission. **27**: 500-501.
- Duguy, R. (1987). ICES Council Meeting Papers - Cetaceans and pinnipeds recorded on the French coasts in 1986. Copenhagen, Denmark, International Council for the Exploration of the Sea: 1-3.
- Duguy, R. (1987). ICES Council Meeting Papers - Two new species on the coasts of France: *Kogia simus* (Physeteridae) and *Phoca groenlandica* (Phocidae). Copenhagen, Denmark, International Council for the Exploration of the Sea: 1-3.
- Duguy, R. (1989). ICES Council Meeting Papers - Annual report about the cetaceans and Pinnipedia stranded in the French coasts in 1988. Copenhagen, Denmark, International Council for the Exploration of the Sea: 1-4.
- Duguy, R. (1990). ICES Council Meeting Papers - Cetacea stranded on the coasts of France during the last ten years. Copenhagen, Denmark, International Council for the Exploration of the Sea: 1-5.
- Duguy, R. (1990). ICES Council Meeting Papers - Annual report of the cetacean records and Pinnipedia stranded along the French coasts - 1989. Copenhagen, Denmark, International Council for the Exploration of the Sea: 1-4.
- Duguy, R. (1991). ICES Council Meeting Papers - Annual report of Cetacea and Pinnipedia recorded from the coasts of France - 1990. Copenhagen, Denmark, International Council for the Exploration of the Sea: 2.
- Duguy, R. (1994). *Kogia breviceps* (de Blainville, 1838) - Zwergpottwal. Handbuch der Saugetiere Europas. Band 6: Meeressäuger. Teil 1B: Wale und Delphine **2**. J. Niethammer and F. Krapp. Wiesbaden, Germany, Aula-Verlag: 598-614.
- Duignan, P. J. (2003). Disease investigations in stranded marine mammals, 1999-2002. Department of Conservaton Science Internal Series No. 104. Wellington, New Zealand, Department of Conservation: 32.
- Dunn, C. and D. Claridge (2013). "Killer whale (*Orcinus orca*) occurrence and predtion in the Bahamas." Journal of the Marine Biological Association of the United

- Kingdom(doi:10.1017/S0025315413000908): 1-5.
- Dunphy-Daly, M. M., M. R. Hiethaus, et al. (2008). "Temporal variation in dwarf sperm whale (*Kogia sima*) habitat use and group size off Great Abaco Island, Bahamas." Marine Mammal Science **24**(1): 171-182.
- Duran-Neira, C., X. M. Penas-Patino, et al. (1982). "A guide for the identification of cetaceans observed at sea." Mem. Mus. Mar. (Zool.) **2**(20): 1-28.
- Dwulet, F. E., B. N. Jones, et al. (1977). "The complete amino acid sequence of the major component myoglobin of dwarf sperm whale (*Kogia simus*)." Biochemistry (Washington) **16**(5): 873-877.
- Dwyer, S. L. and I. N. Visser (2011). "Cookie cutter shark (*Isistius* sp.) bites on cetaceans, with particular reference to killer whales (orca) (*Orcinus orca*)." Aquatic Mammals **37**(2): 111-138.
- Early, G. and T. P. McKenzie (1991). The northeast regional marine mammal stranding network. Marine Mammal Strandings in the United States. Proceedings of the Second Marine Mammal Stranding Workshop. NOAA Technical Report NMFS. I. Reynolds, J. E. and D. K. Odell. Seattle, Washington, USA, U.S. Department of Commerce, NOAA, NMFS. **98**: 63-68.
- Edmondson, C. (1948). "Records of *Kogia breviceps* from the Hawaiian Islands." Journal of Mammalogy **29**(1): 76-77.
- Eldredge, L. G. (1991). "Annotated checklist of the marine mammals of Micronesia." Micronesica **24**(2): 217-230.
- Eldredge, L. G. (2003). "The marine reptiles and mammals of Guam." Micronesica **35-36**: 653-660.
- Eliason, J. and W. Houck (1986). "Notes on the biology of a gravid pygmy sperm whale (*Kogia breviceps*) from California." Cetology **51**: 1-5.
- Elwen, S. H., T. Gridley, et al. (2013). "Records of kogiid whales in Namibia, including the first record of the dwarf sperm whale (*Kogia sima*)." Marine Biodiversity Records **6**: 1-8.
- Enders, R. K. (1942). "Notes on a stranded pygmy sperm whale (*Kogia breviceps*)." Notuale Naturae **111**: 1-6.
- Essapian, F. S. (1955). "Pygmy sperm whale strands." Everglades Natural History **3**(2): 119.
- Evans, P. G. H. and P. S. Hammond (2004). "Monitoring cetaceans in European waters." Mammal Review **34**(1): 131-156.
- Everitt, R. D., C. H. Fiscus, et al. (1979). Marine mammals of northern Puget Sound and the Straits of Juan de Fuca: a report on investigations November 1, 1977-October 31, 1978. Final report to the Marine Mammal Division, Northwest and Alaska Fisheries Center. Seattle, WA, U.S. Department of Commerce, National Oceanographic and Atmospheric Administration, National Marine Fisheries Service, Northwest and Alaska Fisheries Center.
- Ewing, R. Y. and C. Pelton (2001). Malignant cutaneous melanoma in a pygmy sperm whale (*Kogia breviceps*). 14th Biennial Conference on the Biology of Marine Mammals, Vancouver, British Columbia, Canada, Society for Marine Mammalogy.
- Faiella, A. and C. Fernandez (1998). Varamiento simples de cachalate enano (*Kogia simus*) en las costas de la ciudad de Mar del Plata, PCIA, De Buenos Aires, Republica Argentina. VIII Reuniao de Trabajo de Especialistas en Mamiferos

- Acuaticos da America do Sur and II Congreso da Sociedade Latinoamericana de Especialistas em Mamiferos Acuaticos, Olinda, Brasil.
- Fairfield, C. P., S.-H. Son, et al. (2011). Distribution of northern Gulf of Mexico cetaceans relative to their environment. 19th Biennial Conference on the Biology of Marine Mammals, Tampa, FL, USA, The Society for Marine Mammalogy.
- Fairley, J. S. and E. P. Mooney (1986). "Pygmy sperm whale *Kogia breviceps* (Blainville)." Irish Naturalists Journal **22**(4): 164.
- Fawcett, D. W. (1942). "A comparative study of the blood-vascular bundles in the Florida manatee and in certain cetaceans." Journal of Morphology **71**: 105-133.
- Felix, F., B. Haase, et al. (1995). "Primeros registros de la orca pigmea *Feresa attenuata* (Cetacea, Delphinidae) y del cachalote enano *Kogia simus* (Cetacea, Physeteridae) en Ecuador continental." Estudios Oceanologicos **14**: 77-85.
- Ferguson, M. C. and J. Barlow (2001). Spatial distribution and density of cetaceans in the eastern tropical Pacific Ocean based on summer/fall research vessel surveys in 1986-1996: NOAA SWFSC Administrative Report LJ-01-04, 61 + addendum.
- Fernandez, R., M. B. Santos, et al. (2009). "Stomach contents of cetaceans stranded in the Canary Islands 1996-2006." Journal of the Marine Biological Association of the United Kingdom **89**(5): 873-883.
- Ferreira, R. and R. Praderi (1973). Un nuevo ejemplar de *Kogia breviceps* (Blainville), (Cetacea, Physeteridae) del Atlantico sudoccidental caracteres and notas. Trabajos del V Congreso Latino-Americo de Zoologia, Montivideo, Uruguay.
- Figueiredo, J. M. (1956). "Notas sobre um feto de cetaceo, *Kogia breviceps* Blainv." Notas e Estudos do Instituto de Biologia Maritima **11**: 1-25.
- Fire, S. E., Z. Wang, et al. (2009). "Domoic acid exposure in pygmy and dwarf sperm whales (*Kogia* spp.) from southeastern and mid-Atlantic U.S. waters." Harmful Algae **8**: 758-664.
- Fire, S. E., Z. Wang, et al. (2009). Domoic acid exposure in pygmy and dwarf sperm whales (*Kogia* spp.) from southeastern and mid-Atlantic U.S. waters. Eighteenth Biennial Conference on the Biology of Marine Mammals, Quebec City, Quebec, Canada, Society for Marine Mammalogy.
- Fish, F. E., J. T. Beneski, et al. (2007). "Examination of the three-dimensional geometry of cetacean flukes using computed tomography scans: hydrodynamic implications." The Anatomical Record **290**: 614-623.
- Fitch, J. E. and J. Brownell, Robert L. (1968). "Fish otoliths in cetacean stomachs and their importance in interpreting feeding habits." Journal of the Fisheries Research Board of Canada **25**: 2561-2574.
- Fleischer, G. (1975). "Uber das spezialisierte Gehororgan von *Kogia breviceps* (Odontoceti)." Zeitschrift fur Saugetierkunde **40**(2): 89-102.
- Fleischer, G. (1977). (Abstract) A concept for middle ear mechanisms in cetaceans. Second Conference on the Biology of Marine Mammals, San Diego, California, Society for Marine Mammalogy.
- Foley, H., P. Nilsson, et al. (2011). Occurrence and distribution of marine mammals in a proposed Undersea Warfare Training Range off Jacksonville, FL. 19th Biennial Conference on the Biology of Marine Mammals., Tampa, FL, The Society for Marine Mammalogy.
- Fragaso, A. B. L., L. F. B. Oliveira, et al. (2005). Bone Lesions in Cetacean Flippers of the Southeastern Brazillian Coast. 16th Biennial Conference on the Biology of Marine Mammals, San Diego, California, USA.
- Frasca, S., J. L. Dunn, et al. (1993). *Fusarium* sp. infection associated dermatitides in

- an Atlantic white-sided dolphin (*Lagenorhynchus acutus*), a pygmy sperm whale (*Kogia breviceps*) and a harbor seal (*Phoca vitulina*). 24th Annual Conference of the International Association for Aquatic Animal Medicine.
- Fraser, F. C. (1974). Report on Cetacea stranded on the British coasts from 1948 to 1966. Report No. 14. London, UK, British Museum (Natural History): 65.
- Fritts, T. H., A. B. Irvine, et al. (1983). Turtles, birds, and mammals in the northern Gulf of Mexico and nearby Atlantic waters. Washington, DC, U.S. Fish and Wildlife Service, Division of Biological Services.
- Fulling, G. L., P. H. Thorson, et al. (2011). "Distribution and abundance estimates for Cetaceans in the waters off Guam and the Commonwealth of the Northern Mariana Islands." Pacific Science **65**.
- Fulling, G. L., P. H. Thorson, et al. (2011). "Distribution and Abundance Estimates for Cetaceans in the Waters off Guam and the Commonwealth of the Northern Mariana Islands." Pacific Science **65**(3): 321-343.
- Gallagher, M. and P. van Bree (1980). "On a dwarf sperm whale, *Kogia simus* (Owen, 1866), from the sultanate of Oman." Zeitschrift für Säugetierkunde **45**: 53-57.
- Gandilhon, N., O. Adam, et al. (2009). Cetacean relative abundance and distribution surveys in Guadeloupe, FWI: Insights into the occurrence in specific areas. Eighteenth Biennial Conference on the Biology of Marine Mammals, Quebec City, Quebec, Canada, Society for Marine Mammalogy.
- Gannier, A. (2000). "Distribution of cetaceans off the Society Islands (French Polynesia) as obtained from dedicated surveys." Aquatic Mammals **26**(2): 111-126.
- Gannier, A. (2009). "Comparison of odontocete populations of the Marquesas and Society Islands, (French Polynesia)." Journal of the Marine Biological Association of the United Kingdom **89**(5): 931-941.
- Garcia-Castrillo, R., O. Cendrero, et al. (1988). ICES Council Meeting Papers - Marine mammals in the north of Spain in 1987. Copenhagen, Denmark, International Council for the Exploration of the Sea: 1-3.
- Garcia-Castrillo, R., O. Cendrero, et al. (1991). ICES Council Meeting Papers - Marine mammals north of Spain in 1990. Copenhagen, Denmark, International Council for the Exploration of the Sea: 1-5.
- Garrigue, C., J. M. Fernandez, et al. (2000). Impact of the human activities in short-finned pilot whales (*Globicephala macrorhynchus*) and pygmy sperm whale (*Kogia breviceps*) of the South West Pacific ocean by measuring Cs-137, K-40 and Pb-210. Environmental Changes and Radioactive Tracers. J. M. Fernandez and R. Fichez. Paris, IRD Editions: 49-58.
- Garrison, L. P., A. Martinez, et al. (2010). "Habitat and abundance of cetaceans in Atlantic Ocean continental slope waters of the eastern USA." Journal of Cetacean Research and Management **11**(3): 267-0277.
- Gaskin, D. (1966). "New records of the pigmy whale *Kogia breviceps* Blainville 1838, from New Zealand, and a probable record from New Guinea." Norsk Hvalfangsttid **55**: 35-37.
- Gastineau, E. A. (1992). Volumetric analysis of the brain of a dolphin using magnetic resonance imaging. 5th Biennial Conference of the American Cetacean Society, Monterey, California, USA.
- Geise, L. and M. Borobia (1987). "New Brazilian records for *Kogia*, *Pontoporia*, *Grampus* and *Sotalia* (Cetacea, Physteridae, Platanistidae and Delphinidae)."

- Journal of Mammalogy **68**: 873-875.
- Geise, L. and M. Borobia (1988). "The occurrence of cetaceans of the Rio de Janeiro coast between 1968 and 1984." Revista Brasileira de Zoologia **4**(4): 341-346.
- Geraci, J. R. and D. J. St. Aubin (1979). Biology of Marine Mammals: Insights Through Strandings. Washington, D.C., U. S. Department of Commerce, National Technical Information Service.
- Gianios, C., C. LaCerte, et al. (2009). Marine mammal sightings in the Pacific Ocean observed during the voyage of the *Odyssey*. Eighteenth Biennial Conference on the Biology of Marine Mammals, Quebec City, Quebec, Canada, Society for Marine Mammalogy.
- Gill, T. (1871). "The sperm whales, giant and pygmy." American Naturalist **4**: 723-743.
- Gomez, S. (2003). Preliminary analysis of pygmy (*Kogia breviceps*) and dwarf (*Kogia simus*) sperm whales in the southeast region. NOAA, NMFS, SEFSC. Miami, Florida: 2.
- Goncalves, J. M., J. P. Barreiros, et al. (1996). "Cetaceans stranded in the Azores during 1992-96." Arquipelago: Life and Marine Sciences **14A**: 57-65.
- Goold, J. C. and M. R. Clarke (2000). "Sound velocity in the head of the dwarf sperm whale, *Kogia sima*, with anatomical and functional discussion." Journal of the Marine Biological Association of the United Kingdom **80**: 535-542.
- Gozelany, J. F., H. L. Rhinehart, et al. (1995). Development and administration of a nutritional formula for a stranded pygmy sperm whale (*Kogia breviceps*) calf. 26th Annual Conference of the International Association for Aquatic Animal Medicine.
- Gray, J. E. (1846). On the cetaceous animals. The zoology of the voyage of HMS Erebus and Terror under the command of Captain Sir James Clark Ross, R.N., F.R.S., during the years 1839-1843. J. Richardson and J. E. Gray. London, Longman, Brown, Green and Longmans: 13-53.
- Gray, J. E. (1866). Catalogue of seals and whales in the British Musuem. London, British Musuem.
- Gray, J. E. (1873). "On the skeleton of *Kogia macleayii*." Annual Magazine Natural History **12**: 184-185.
- Gretarsdottir, S. and U. Arnason (1993). "Molecular studies on two variant repeat types of the common cetacean DNA satellite of the sperm whale and the relationship between Physteridae (sperm whales) and Ziphiidae (beaked whales)." Molecular Biology and Evolution **10**(2): 306-318.
- Gunter, G., C. L. Hubbs, et al. (1955). "Records of *Kogia breviceps* from Texas, with remarks on movement and distribution." Journal of Mammalogy **36**(2): 263-270.
- Gunter, G. and R. Overstreet (1974). "Cetacean notes. I. Sei and rorquals on the Mississippi coast, a correction. II. A dwarf sperm whale in Mississippi Sound and its helminth parasites." Gulf Research Reports **4**(3): 479-481.
- Gurd, F. R. N. and B. N. Jones (1979). Studies of myoglobin from stranded cetaceans as a contribution to understanding marine mammal populations. Biology of Marine Mammals: Insights Through Strandings. J. R. Geraci and D. J. St. Aubin. Washington, DC, U.S. Department of Commerce, National Technical Information Service. **PB-293 890**: 245-246.
- Haas, J. v. (1874). "On the occurrence of a new species of *Euphysetes* (*E. potsii*), a remarkably small catadont whale, on the coast of New Zealand." Proceedings of

- the Zoological Society of London **1874**: 260-264.
- Hagey, L. R., D. K. Odell, et al. (1993). "Biliary bile acid composition of the Physeteridae (sperm whales)." Marine Mammal Science **9**: 23-33.
- Hale, H. (1947). "The pigmy sperm whale (*Kogia breviceps*, Blainville) on South Australian coasts." Records of the South Australian Musuem **8**: 531-546, plates 14-18, text figures 1-17.
- Hale, H. (1959). "The pigmy sperm whale on South Australian coasts." Records of the South Australian Musuem **13**: 333-338.
- Hale, M. M. (1962). "The pigmy sperm whale (*Kogia breviceps*) on South Australian coasts. Part III." Records of the South Australian Musuem **14**: 197-230.
- Hale, H. (1963). "Young female pigmy sperm whale (*Kogia breviceps*) from Western and South Australia." Records of the South Australian Musuem **14**(3): 561-577.
- Handley, C. O., Jr. (1966). A synopsis of the Genus *Kogia* (pygmy sperm whales). Whales, Dolphins and Porpoises. K. S. Norris. Berkeley, CA, University of California Press: 62-69.
- Hansen, L. J., K. D. Mullin, et al. (1995). Estimates of cetacean abundance in the northern Gulf of Mexico from vessel surveys. NMFS-SEFSC, Miami Laboratory, Contribution Number MIA-94/95-25. Miami, NOAA, NMFS, SEFSC: 9.
- Hansen, L. J., K. D. Mullin, et al. (1996). Visual surveys aboard ships and aircraft. Distribution and abundance of marine mammals in the north-central and western Gulf of Mexico. Final Report. Volume II. Technical Report OCS Study MMA 96-0027. R. W. Davis and G. S. Fargion. New Orleans, U.S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Region: 55-132.
- Harms, C. A., R. Lo Piccolo, et al. (2004). "Struvite penile urethrolithiasis in a pygmy sperm whale (*Kogia breviceps*)." Journal of Wildlife Diseases **40**(3): 588-593.
- Haro, A. and J. L. B. Montero (1998). Nuevos registros para *Steno bredanensis* y *Kogia simus* en las costas de Chile. Congreso da Sociedade Latinoamericana em Mamiferos Acuaticos SOLAMAC.
- Harrison, T. and G. Jamuth (1958). "Pigmy sperm whale (*Kogia breviceps*) in Borneo." Nature **182**: 543.
- Harrison, R. J., R. C. Boice, et al. (1969). "Reproduction and gonadal changes in some wild and captive odontocetes." Journal of Anatomy **104**(1): 197-198.
- Harrison, R. J., J. Brownell, R. L., et al. (1972). Reproduction and Gonadal Appearances in Some Odontocetes. Functional Anatomy of Marine Mammals. R. J. Harrison. London and New York, Academic Press. **1**: 361-429.
- Haswell, W. A. (1883). "On the brain of Grey's whale (*Kogia greyi*)." Proceedings of the Linnaean Society of New South Wales **8**: 437-439, pl. 21.
- Hazevoet, C. J., V. Monteiro, et al. (2010). "Recent data on whales and dolphins (Mammalia: Cetacea) from the Cape Verde Islands, including records of four taxa new to the archipelago." Zoologia Caboverdiana **1**(2): 75-99.
- Hector, J. (1879). "Notes on the whales of the New Zealand seas." Transactions and Proceedings of the New Zealand Institute **10**: 331-343.
- Heinrich, A. B., S. L. Poynton, et al. (1999). A new genus of kinetoplastid flagellate from the blowhole of a pygmy sperm whale (*Kogia breviceps*). 30th Annual Conference of the International Association for Aquatic Animal Medicine.
- Heintzelman, D. S. (1981). Pygmy sperm whale *Kogia breviceps*. A World Guide to Whales, Dolphins and Porpoises. Tulsa, OK, Winchester Press: 20-21.
- Henry, J. and P. Best (1999). "A note on concentrations of metals in cetaceans from

- southern Africa." Journal of Cetacean Research and Management **Chemical Pollutants and Cetaceans**(Special Issue 1): 177-194.
- Hensley, G., G. D. Bossart, et al. (2005). *Kogia* Heart Dissection Manual. Harbor Branch Oceanographic Institution, Inc., Technical Report No. 90, 23p., Harbor Branch Oceanographic Institution: 27.
- Hernandez-Garcia, V. and V. Martin (1996). Food habits of the pygmy sperm whale *Kogia breviceps* (de Blainville, 1838) stranded in the Canary Islands. 2nd Symposium Fauna and Floria of the Atlantic Islands, Las Palmas de Gran Canaria, Spain.
- Herraez, P., E. Sierra, et al. (2009). Sarcoplasmic masses related to a possible muscular dystrophy in stranded pigmy sperm whale (*Kogia breviceps*). Eighteenth Biennial Conference on the Biology of Marine Mammals, Quebec City, Quebec, Canada, Society for Marine Mammalogy.
- Herskovitz, B., F. M. D. Gulland, et al. (1998). Pygmy sperm whale (*Kogia breviceps*) strandings along the California coast 1983-1997. 29th Annual Conference of the International Association for Aquatic Animal Medicine.
- Hill, P. S. and J. Barlow (1992). Report of a marine mammal survey of the California coast aboard the research vessel *McArthur* July 28 - November 5, 1991. LaJolla, California, National Marine Fisheries Service, Southwest Fisheries Science Center: 103.
- Hirasaka, K. (1936). "A pigmy sperm whale." Zoological Magazine of Tokyo **48**: 72-74.
- Hirasaka, K. (1937). "On the pigmy sperm-whale, *Kogia breviceps* (Blainville)." Memoirs of the Faculty of Science and Agriculture, Taihoku Imperial University **14**(5): 117-142.
- Hobbs, J. R. (1885). "Stranding of a pigmy sperm-whale." Bulletin of the United States Fish Commission **5**: 450.
- Hodge, L., M. S. Soldevilla, et al. (2011). Temporal variation in odontocet vocal events in Onslow Bay, North Carolina. 19th Biennial Conference on the Biology of Marine Mammals, Tampa, FL, USA, The Society for Marine Mammalogy.
- Hohn, A. A., D. S. Rotstein, et al. (2006). Report on Marine Mammal Unusual Mortality Event UMESE0501sp: Multispecies Mass Stranding of Pilot Whales (*Globicephala macrorhynchus*), Minke Whale (*Balaenoptera acutorostrata*), and Dwarf Sperm Whales (*Kogia sima*) in North Carolina on 15-16 January 2005: NOAA Technical Memorandum NMFS-SEFSC-537, 222 pages.
- Holst, M., B. Mactavish, et al. (2009). Occurrence of cetaceans during a seismic survey off the Pacific coast of Central America, March-April 2008. Eighteenth Biennial Conference on the Biology of Marine Mammals, Quebec City, Quebec, Canada, Society for Marine Mammalogy.
- Hubbs, C. L. (1951). "Eastern Pacific records and general distribution of the pygmy sperm whale." Journal of Mammalogy **32**: 403-410.
- Hucke-Gaete, R. (2000). Review of the conservation status of small cetaceans in southern South America. Bonn, Germany, United Nations Environmental Program / CMS: 24.
- Huckstadt, L. and T. Antezana (2000). Varamientos de *Kogia breviceps* en Chile central. IX Reunion de Trabajo de Especialistas en Mamiferos Acuaticos de America del Sur, Buenos Aires, Argentina.
- Huckstadt, L. and T. Antezana (2001). "An observation of parturition in a stranded

- Kogia breviceps*." Marine Mammal Science **17**(2): 362-365.
- Huckstadt, L. A. (2005). "Nuevos registros de cetaceos para la VIII Region, Chile (1997 a 1999)." Gayana **69**(2): 291-299.
- Hutterer, R. (1994). "Dwarf sperm whale *Kogia simus* in the Canary Islands." Lutra **37**: 89-92.
- Hysmith, B., R. Colura, et al. (1976). "Beaching of a live pygmy sperm whale (*Kogia breviceps*) at Port O'Connor, Texas." Southwestern Naturalist **21**(3): 409.
- Iniguez, A. M., C. P. Santos, et al. (2009). "Genetic characterization of *Anisakis typica* and *Anisakis Physeteris* from marine mammals and fish from the Atlantic Ocean off Brazil." Veterinary Parasitology **165**: 350-356.
- IWC (1976). Report of the Sub-committee on Small Cetaceans. Twenty-seventh report of the Commission. G. P. Donovan. London, UK, International Whaling Commission. **27**.
- Jaaman, S. A., J. Bali, et al. (2002). Summary of current knowledge of cetaceans and dugongs in Malaysian waters. Symposium on the Biology and Conservation of Small Cetaceans and Dugongs in South-East Asia, Silliman University, Dumaguete City, Philippines, UNEP/CMA Secretariat, Bonn, Germany.
- Jabbar, A., I. Beveridge, et al. (2015). "Morphological and molecular observations on the status of *Crassicauda magna*, a parasite of the subcutaneous tissues of the pygmy sperm whale, with a re-evaluation of the systematic relationships of the genus *Crassicauda*." Parasitology Research **114**: 835-841.
- Jaquet, N. and D. Gendron (2002). "Distribution and relative abundance of sperm whales in relation to key environmental features, squid landings and the distribution of other cetacean species in the Gulf of California, Mexico." Marine Biology **141**(3): 591-601.
- Jefferson, T. A., S. Leatherwood, et al. (1993). FAO Species Identification Guide. Marine mammals of the world. Rome, Italy, United Nations Environmental Program.
- Jefferson, T. A. and A. J. Shiro (1997). "Distribution of cetaceans in the offshore Gulf of Mexico." Mammal Review **27**: 27-50.
- Jefferson, T. A. and S. K. Hung (2007). "An updated, annotated checklist of the marine mammals of Hong Kong." Mammalia **2007**: 105-114.
- Jefferson, T. A., M. Webber, A., et al. (2008). Marine Mammals of the World - A Comprehensive Guide to Their Identification. Burlington, MA, Academic Press.
- Jeness, R. and D. K. Odell (1978). "Composition of milk of the pygmy sperm whale (*Kogia breviceps*)." Comparative Biochemistry and Physiology **61A**: 383-386.
- Johnson, R. F., T. K. Nishino, et al. (2004). 3-D CT and MR imaging of a pygmy sperm whale nicknamed the firecracker whale. Medicine Meets Virtual Reality, San Diego, California, USA.
- Johnson, J. I., R. C. Switzer, et al. (2004). "Broca's desert lobe and the corpus striatum in the cerebral hemispheres of six species of whales and dolphins." FASEB Journal **18**(4-5): 311.5.
- Johnston, T. H. and P. Mawson (1939). "Internal parasites of the pigmy sperm whale." Records of the South Australian Musuem **6**(3): 264-274.
- Johnston, D. W., J. Robbins, et al. (2008). "Diversity, habitat associations and stock structure of odontocete cetaceans in the waters of American Samoa, 203-2006." Journal of Cetacean Research and Management **10**(1): 59-66.
- Johnston, C. and A. Berta (2011). "Comparative anatomy and evolutionary history of

- suction feeding in cetaceans." Marine Mammal Science **27**(3): 493-513.
- Jones, R. E. (1981). "Food habits of smaller marine mammals from northern California." Proceedings of the California Academy of Sciences **42**(16): 409-433.
- Juarez, M., L. Medrano-Gonzalez, et al. (2009). Morphological variation of the bottlenose dolphin's (*Tursiops truncatus*, Mongagu 1821) dorsal fin, in Bahia de Banderas, Mexico. Eighteenth Biennial Conference on the Biology of Marine Mammals, Quebec City, Quebec, Canada, Society for Marine Mammalogy.
- Justice, N. A., W. J. Justice, et al. (2005). A Corrosion Casting Study of the Structure of Cetacean Kidneys. 16th Biennial Conference on the Biology of Marine Mammals, San Diego, California, USA.
- Kami, H. T. and R. J. Lujan (1976). "Records of the dwarf sperm whale *Kogia simus* from Guam." Micronesica **12**: 327-332.
- Karol, R., C. Litchfield, et al. (1978). "Compositional topography of melon and spermaceti organ lipids in the pygmy sperm whale, *Kogia breviceps*: implications for echo location." Marine Biology **47**: 115-123.
- Kazar, E. (2002). "Revised phylogeny of the Physteridae (Mammalia: Cetacea) in light of *Placoziphius* Van Beneden, 1969 and *Aulophyseter* Kellogg, 1927." Bulletin de l'Institut Royal des Sciences Naturelles de Belgique, Sciences de la Terre **72**: 151-170.
- Keith, E. O. (2008). An analysis of *Kogia* stranding data collected by the Southeast Region Marine Mammal Stranding Network. Final Progress Report. NOAA Prescott Grant No. NA06NMF4390155. Danie, FL, Nova Southeastern University: 66.
- Kellogg, A. (1927). "Study of the skull of a fossil sperm whale from the Temblor Miocene of Southern California." Carnegie Institute Contributions to Paleontology **346**: 1-23.
- Kellogg, A. (1929). "A new fossil toothed whale from Florida." American Museum of Natural History Novitates **389**: 1-10.
- Kellogg, R. (1940). Whales, giants of the sea. National Geographic. **77**: 35-90.
- Kemper, C. M. and J. K. Ling (1991). "Whale strandings in South Australia (1881-1989)." Transactions of the Royal Society of South Australia **115**(1): 37-52.
- Kemper, C., P. Gibbs, et al. (1994). "A review of heavy metal and organochlorine levels in marine mammals in Australia." Science of the Total Environment **65**: 53-62.
- Kemper, C. M., A. Flaherty, et al. (2005). "Cetacean captures, strandings and mortalities in South Australia 1881-2000, with special reference to human interactions." Australian Mammalogy **27**: 37-47.
- Kernan, J. D., Jr. and H. v. W. Schulte (1918). "Memoranda upon the anatomy of the respiratory tract, foregut, and thoracic viscera of a foetal *Kogia breviceps*." Bulletin of the American Museum of Natural History **38**: 231-267.
- Kielhorn, C., W. A. McLellan, et al. (2011). Locomotor muscle of cetaceans: A comparison of deep vs. shallow divers. 19th Biennial Conference on the Biology of Marine Mammals, Tampa, FL, USA, The Society for Marine Mammalogy.
- Kielhorn, C. E., R. M. Dillaman, et al. (2013). "Locomotor muscle profile of a deep (*Kogia breviceps*) versus shallow (*Tursiops truncatus*) diving cetacean." Journal of Morphology **274**: 663-675.
- King, C. A. (1987). Organochlorines in bottlenose dolphins (*Tursiops truncatus*) and pygmy sperm whales (*Kogia breviceps*) from southeastern Florida. Rosenstiel

- School of Marine and Atmospheric Science. Coral Gables, University of Miami: viii + 92.
- King, C. A. (1987). "Organochlorines in bottlenose dolphins (*Tursiops truncatus*) and pygmy sperm whales (*Kogia breviceps*) from southeastern Florida." Marine Pollution Bulletin: 582.
- Kinzey, D., T. Gerrodette, et al. (1999). Marine mammal data collected during a survey in the eastern tropical Pacific Ocean aboard the NOAA ships *McArthur* and *David Starr Jordan* and the UNOLS ship Endeavor July 31 - December 9, 1998. LaJolla, California, National Marine Fisheries Service, Southwest Fisheries Science Laboratory: 113.
- Kinzey, D., T. Gerrodette, et al. (2000). Marine mammal data collected during a survey in the eastern tropical Pacific Ocean aboard the NOAA ships *McArthur* and *David Starr Jordan* July 28 - December 9, 1999. LaJolla, California, National Marine Fisheries Service, Southwest Fisheries Science Center: 89.
- Kiszka, J., C. Muir, et al. (2008). "Marine mammal bycatch in the southwestern Indian Ocean: Review and need for a comprehensive status assessment." Western Indian Ocean Journal of Marine Science **7**(2): 119-136.
- Kiszka, J., P. J. Ersts, et al. (2010). "Structure of a toothed cetacean community around a tropical island (Mayote, Mozambique Channel)." African Journal of Marine Science **32**(3): 543-551.
- Klages, N., V. Cockcroft, et al. (1989). Stomach contents of pygmy *Kogia breviceps* and dwarf *Kogia simus* sperm whales stranded on South African beaches. Eighth Biennial Conference on the Biology of Marine Mammals, Pacific Grove, California, USA.
- Koopman, H. N. and A. J. Westgate (2009). Solubility of nitrogen gas in odontocete blubber: Are deep divers more vulnerable to nitrogen absorption? Eighteenth Biennial Conference on the Biology of Marine Mammals, Quebec City, Quebec, Canada, Society for Marine Mammalogy.
- Kreffft, G. (1866). "Notice of a new species of sperm-whale belonging to the genus *Euphysetes* of MacLeay." Proceedings of the Zoological Society of London **1865**: 708-713.
- Kuo, T.-F., M.-H. Chang, et al. (2002). "The bronchial tree and lobular division of the dwarf sperm whale (*Kogia simus*) lung." Journal of the Agricultural Association of China **3**(3): 254-263.
- Kuroda, N. (1938). A list of the Japanese mammals. Tokyo.
- Lambourn, D. M., K. A. Brock, et al. (2006). Hydraminos in a lactating pygmy sperm whale (*Kogia breviceps*) stranded in Washington: Post-mortem findings and implications from a stranded calf. Annual Conference of the International Association for Aquatic Animal Medicine, Nassau, Bahamas.
- Larson, L. H., Jr. (1970). Aboriginal subsistence technology on the southeastern coastal plain during the late prehistoric period. Ann Arbor, University of Michigan.
- Law, R. J., M. E. Bennett, et al. (2001). "Metals and organochlorines in pelagic cetaceans stranded on the coasts of England and Wales." Marine Pollution Bulletin **42**(6): 522-526.
- Layne, J. N. (1965). "Observations on marine mammals in Florida waters." Bulletin of the Florida State Museum **9**(4): 131-181.
- Le Danois, E. (1910). "Recherches sur l'anatomie de la tete de *Kogia breviceps*

- (Blainville)." Archives de Zoologie Experimentale et Genenerale **4**.
- Le Danois, E. (1910). "Sur l'organe a spermaceti du *Kogia breviceps* Blainv." Comptes Rendus Academie Science Paris **151**: 690-692.
- Le Danois, E. (1911). "Recherches sur les visceres et le squelette de *Kogia breviceps* Blainv. avec un resume de l'histoire de ce cetace." Archives de Zoologie Experimentale et Generale **5(6)**: 465-489.
- Leatherwood, S., D. K. Caldwell, et al. (1976). Whales, dolphins and porpoises of the western North Atlantic: A guide to their identification. Washington, D.C., DOC, NOAA, NMFS.
- Leatherwood, S. and R. R. Reeves (1983). The Sierra Club Handbook of Whales and Dolphins. San Francisco, California, USA, Sierra Club Books.
- Leatherwood, S. (1985). "Further notes on cetaceans of Sri Lanka." Cetology **50**: 1-12.
- Leatherwood, S. H., R. R. Reeves, et al. (1988). Bottlenose dolphin, pygmy sperm whale, dwarf sperm whale. Whales, dolphins and porpoises of the eastern North Pacific and adjacent arctic waters. S. Leatherwood, R. R. Reeves, W. F. Perrin and W. E. Evans. New York, Dover Publications: 193-200.
- Leatherwood, S. and R. R. Reeves, Eds. (1989). Marine Mammal Research and Conservation in Sri Lanka 1985-1986. Marine Mammal Technical Report No. 1. Nairobi, Kenya, United Nations Environment Programme.
- Leatherwood, S. and G. P. Donovan, Eds. (1991). Cetaceans and Cetacean Research in the Indian Ocean Sanctuary. Marine Mammal Technical Report No. 3. Nairobi, Kenya, United Nations Environmental Programme.
- Lehman, L. D., F. E. Dwulet, et al. (1977). "The complete amino acid sequence of the major component myoglobin from the Arctic minke whale, *Balaenoptera acutorostrata*." Biochemistry (Washington) **16(4)**: 706-709.
- Lehman, L. D., F. E. Dwulet, et al. (1978). "Complete amino acid sequence of the major component myoglobin from the humpback whale, *Megaptera novaeangliae*." Biochemistry (Washington) **17(18)**: 3736-3739.
- Lenfant, C. (1969). Physiological properties of blood of marine mammals. The Biology of Marine Mammals. H. T. Anderson. San Diego, Academic Press: 95-116.
- Lens, S. A. and E. Urquiola (2005). Spanish Report November 2005 to IWC Ship Strikes Working Group, International Whaling Commission: 4.
- Leon, H. and C. Aguayo (1945). "Excursion botanica a la bahia Nuevas Grandes y hallazgo de una especie de cachalote nueva para la fauna Cubana." Cont. Ocas. Mus. Hist. Nat. Col. La Salle **5**: 1-7.
- Leon-F., T. C. and H. A. Barrios-G. (2001). "Primer registro del cachalote enano *Kogia simus* (Owen, 1866) (Cetacea:Kogiidae) en las costas de Venezuela." Anartia **14**: 1-7.
- Leone, A., M. Dark, et al. (2013). "Gastrointestinal leiomyosarcoma in a pygmy sperm whale (*Kogia breviceps*)." Journal of Zoo and Wildlife Medicine **44(3)**: 744-748.
- Li, C.-S., K.-Y. Wu, et al. (2005). "Analysis of oxidative DNA damage 8-hydroxy-2'-deoxyguanosine as a biomarker of exposures to persistent pollutants for marine mammals." Environmental Science & Technology **39**: 2455-2460.
- Litchfield, C., A. J. Greenberg, et al. (1976). "The distinctive character of Ziphiidae head and blubber fats." Cetology **23**: 1-10.
- Litz, J. A., D. K. Odell, et al. (2009). Analysis and review of Kogia stranding data from the east coast of the United States (1994-2008): What can it tell us and what are

- we missing? Eighteenth Biennial Conference on the Biology of Marine Mammals, Quebec City, Quebec, Canada, Society for Marine Mammalogy.
- Lo, C., Y.-T. Wang, et al. (2011). Rapid differentiation of *Kogia sima* and *K. breviceps* by high-resolution melt analysis. 19th Biennial Conference on the Biology of Marine Mammals, Tampa, FL, USA, The Society for Marine Mammalogy.
- Long, D. (1991). "Apparent predation by a white shark *Carcharodon carcharias* on a pygmy sperm whale *Kogia breviceps*." Fishery Bulletin (U.S.) **89**: 538-540.
- Lopez, A., O. Cendrero, et al. (1996?). ICES Council Meeting Papers - Marine mammals stranded on the north and northwest coasts of Spain in 1995. Copenhagen, Denmark, International Council for the Exploration of the Sea: 1-3.
- Lorenzani, J. A., J. C. Lorenzani, et al. (1998). Primer registro de cachalote enano (*Kogia simus*) para Argentina. VIII Reuniao de Trabalho de Especialistas en Mamiferos Acuaticos da America do Sur & II Congreso da Sociedade Latinoamericana de Especialistas em Mamiferos Acuaticos, Olinda, Brasil.
- Lucas, Z. N. and S. K. Hooker (2000). "Cetacean strandings on Sable Island, Nova Scotia, 1970-1998." Canadian Field-Naturalist **114**: 45-61.
- Luo, Z. and K. Marsh (1996). "Petrosal (periotic) an dinner ear of Pliocene Kogiinae whale (Kogiinae, Odontoceti): Implications on relationships and hearing evolution of toothed whales." Journal of Vertebrate paleontology **16**(2): 328-348.
- Mackey, M., E. Viney, et al. (2002). "Pygmy sperm whale *Kogia breviceps* (de Blainville)." Irish Naturalists Journal **27**(4): 164-165.
- MacLeod, C. D., S. M. Bannon, et al. (2005). "Climate change and the cetacean community of north-west Scotland." Biological Conservation **124**: 477-483.
- MacLeod, C. D., M. B. Santos, et al. (2006). "Relative prey size consumption in toothed whales: implications for prey selection and level of specialisation." Marine Ecology Progress Series **326**: 295-307.
- MacLeod, C. D., J. S. Reidenberg, et al. (2007). "Breaking symmetry: The marine environment, prey size, and the evolution of asymmetry in cetacean skulls." The Anatomical Record **290**: 539-545.
- MacLoud, C. D., N. Hauser, et al. (2004). "Diversity, relative density and structure of the cetacean community in summer months east of Great Abaco, Bahamas." Journal of the Marine Biological Association of the United Kingdom **84**: 469-474.
- Madsen, P. T., W. W. L. Au, et al. (2003). "Sound production in neonate sperm whales (L)." Journal of the Acoustical Society of America **113**(6): 2988-2991.
- Mahaffy, S., R. W. Baird, et al. (2009). Individual photo-identification of dwarf sperm whales off the island of Hawai'i: evidence of site fidelity and a small population size. Eighteenth Biennial Conference on the Biology of Marine Mammals, Quebec City, Quebec, Canada, society for Marine Mammalogy.
- Maia-Nogueira, R., C. G. Baracho, et al. (2001). "Revisao dos registros do genero *Kogia* (Gray, 1846) (Cetacea, Physeteridae, Kogiinae) no litoral do nordeste do Brasil, incluindo dados osteologicos." Bioikos, PUC-Campinas **15**(1): 50-59.
- Maigret, J. (1978). "Echouage d'un cachalote main sur les cotes de la presque'Ile du Capr Vert." Bull. Assoc. Avanc. Sc. Nat. Senegal **60**: 130.
- Maigret, J. and D. Robineau (1981). "Le genre *Kogia* (Cetacea, Physeteridae) sur les cotes du Senegal." Mammalia **45**(2): 199-204.
- Maldini, D. (2003). Abundance and distribution patterns of Hawaiian odontocetes: focus on O'ahu. Manoa, University of Hawai'i: 123.
- Maldini, D., L. Mazzuca, et al. (2005). "Odontocete stranding patterns in the main

- Hawaiian Islands (1937-2002): How do they compare with live animal surveys?" Pacific Science **59**(1): 55-67.
- Mancia, A., D. D. Spyropoulos, et al. (2012). "Cryopreservation and in vitro culture of primary cell types from lung tissue of a stranded pygmy sperm whale (*Kogia breviceps*)." Comparative Biochemistry and Physiology, Part C **155**: 135-142.
- Manire, C. A., L. Byrd, et al. (2002). "Subacute atropine toxicity in a pygmy sperm whale, *Kogia breviceps*." Journal of Zoo and Wildlife Medicine **33**(1): 66-72.
- Manire, C. A., H. L. Rhinehart, et al. (2003). Intestinal volvulus in two pygmy sperm whales, *Kogia breviceps*, undergoing rehabilitation. 34th Annual Conference of the International Association for Aquatic Animal Medicine, Waikaloa, Hawaii, USA, International Association for Aquatic Animal Medicine.
- Manire, C. A., H. L. Rhinehart, et al. (2004). "An approach to the rehabilitation of *Kogia* spp." Aquatic Mammals **30**(2): 257-270.
- Manville, R. H. and R. P. Shanahan (1961). "*Kogia* stranded in Maryland." Journal of Mammalogy **42**(2): 269-270.
- Marcovecchio, J. E., V. J. Moreno, et al. (1990). "Tissue distribution of heavy metals in small cetaceans from the southwestern Atlantic Ocean." Marine Pollution Bulletin **21**(6): 299-304.
- Marcovecchio, J. E., M. S. Gerpe, et al. (1994). "Environmental contamination and marine mammals in coastal waters from Argentina: An overview." Science of the Total Environment **154**(2-3): 141-151.
- Marino, L., K. Sudheimer, et al. (2003). "Magnetic resonance images of the brain of a dwarf sperm whale (*Kogia simus*)." Journal of Anatomy **203**: 57-76.
- Marino, L., D. W. McShea, et al. (2004). "Origin and evolution of large brains in toothed whales." The Anatomical Record Part A **281A**: 1247-1255.
- Marino, L., R. C. Connor, et al. (2007). "Cetaceans have complex brains for complex cognition." PLoS Biology **5**(5): 966-972 (e139).
- Marino, L. (2007). "Cetacean brains: How aquatic are they?" The Anatomical Record **290**: 694-700.
- Marques, C., A. El-Deir, et al. (1998). Registro de captura accidental de um cachalote-anao, *Kogia simus* (Owen, 1866) (Cetacea, Odontoceti) ao largo da costa da Paraíba. XXII Congresso Brasileiro de Zoologia, Recife, Brasil.
- Marten, K. (2000). "Ultrasonic analysis of pygmy sperm whale (*Kogia breviceps*) and Hubbs' beaked whale (*Mesoplodon carlhubbsi*) clicks." Aquatic Mammals **26**(1): 45-48.
- Martin, V., R. Vonk, et al. (1990). Pygmy sperm whales *Kogia breviceps* on the Canary Islands. Proceedings of the Fourth Annual Conference of the European Cetacean Society, Palma de Mallorca, Spain, European Cetacean Society.
- Martin, V., M. Carrillo, et al. (1995?). ICES Council Meeting Papers - Records of cetaceans stranded on the Canary Islands coast from 1992-1994. Copenhagen, Denmark, International Council for the Exploration of the Sea: 1-5.
- Martin, J. W. and J. E. Heyning (1999). "First record of *Isocyamus kogiae* Sedlak-Weinstein, 1992 (Crustacea, Amphipoda, Cyamidae) from the eastern Pacific, with comments on morphological characters, a key to the genera of the Cyamidae, and a checklist of cyamids and their hosts." Bulletin of the Southern California Academy of Science **98**(1): 26-38.
- Martinez, A., K. Barry, et al. (2011). Assessing the Potential Impact of the Deepwater

- Horizon Oil Spill on Continental Shelf and Oceanic Species of Marine Mammals in the North-Central Gulf of Mexico. 19th Biennial Conference on the Biology of Marine Mammals, Tampa, FL, Society for Marine Mammalogy.
- Martinez-Pastor, F., V. Garcia-Macias, et al. (2005). "Description of genitalia and sperm recovered postmortem from a pygmy sperm whale, *Kogia breviceps*." Reproduction, Fertility and Development **18**(1-2): 219-220.
- Martins, H., M. R. Clarke, et al. (1985). "A pygmy sperm whale, *Kogia breviceps* (Blainville, 1838) (Cetacea: Odontoceti) stranded on Fail IIsand, Azores, with notes on cephalopod beaks in stomach." Agruipelago, Serie Ciencia da Natureza **6**: 63-70.
- Matsuda, A. and T. Matsuishi (2013). The first report on the diet of the Pygmy sperm whales (*Kogia breviceps*) in Japan. 20th Conference on the Biology and Conservation of Marine Mammals, Dunedin, New Zealand, Society for Marine Mammalogy.
- Mattiucci, S., G. Nascetti, et al. (2005). "Evidence for a new species of *Anisakis* Dujardin, 1854: morphological description and genetic relationships between congeners (Nematoda: Anisakidae)." Systematic Parasitology **61**: 157-171.
- Maul, G. E. and D. E. Sergeant (1977). "New cetacean records rom Madeira." Bocagiana **43**: 1-8.
- Maze-Foley, K. and K. D. Mullin (2006). "Cetaceans of the oceanic northern Gulf of Mexico: Distributions, group sizes and interspecific associations." Journal of Cetacean Research and Management **8**(2): 203-213.
- Mazzuca, L., S. Atkinson, et al. (1999). "Cetacean mass strandings in the Hawaiian archipelago: 1957-1998." Aquatic Mammals **25**(2): 105-115.
- McAlpine, D. F., L. D. Mursion, et al. (1997). "New records of the pygmy sperm whale, *Kogia breviceps* (Physeteridae), from Atlantic Canada with notes on diet and parasites." Marine Mammal Science **13**: 701-704.
- McAlpine, D. F. (2002). Pygmy and dwarf sperm whales: *Kogia breviceps* and *K. sima*. Encyclopedia of Marine Mammals. W. F. Perrin, B. Wursig and J. G. M. Thewissen. San Diego, Academic Press: 1007-1009.
- McClelland, S., M. Gay, et al. (2009). Blubber vasculature of the bottlenose dolphin, *Tursiops truncatus*, and pygmy sperm whale, *Kogia breviceps*. SEAMAMMS 2009, University of North Carolina at Wilmington.
- McClelland, S., M. Gay, et al. (2009). Variation in the vascular patterns of blubber in shallow and deep diving Odontocetes: Implications for diving physiology? Eighteenth Biennial Conference on the Biology of Marine Mammals, Quebec City, Quebec, Canada, Society for Marine Mammalogy.
- Mead, J. G. (1979). An analysis of cetacean strandings along the eastern coast of the United States. Biology of Marine Mammals: Insights Through Strandings. J. R. Geraci and D. J. St. Aubin. Washington, D.C., U.S. Department of Commerce, National Technical Information Service. **PB-292 890**: 54-68.
- Measures, L., B. Roberge, et al. (2004). "Stranding of a pygmy sperm whale, *Kogia breviceps*, in the northern Gulf of St. Lawrence, Canada." The Canadian Field-Naturalist **118**(4): 495-498.
- Meirelles, A. C. O., C. Monteiro-Neto, et al. (2009). "Cetacean strandings of the coast of Ceara, north-eastern Brazil (1992-2005)." Journal of the Marine Biological Association of the United Kingdom **89**(5): 1083-1090.
- Mendez, M., M. Arbelo, et al. (2005). Lung Fat Embolism in Cetaceans Stranded in

- Canary Islands. 16th Biennial Conference on the Biology of Marine Mammals, San Diego, California, USA.
- Merkens, K., K. E. Frasier, et al. (2011). Monitoring of cetaceans during and after the Deepwater Horizon oil spill using passive acoustics. 19th Biennial Conference on the Biology of Marine Mammals, Tampa, FL, USA, The Society for Marine Mammalogy.
- Mesnick, S. L., C. Chan, et al. (2011). Sexual selection, sperm competition and the evolution of cetacean mating systems. 19th Biennial Conference on the Biology of Marine Mammals, Tampa, FL, USA, The Society for Marine Mammalogy.
- Michel, E., A. Zarante, et al. (1997). Registr de cuatro varamientos de *Kogia simus* (Owens, 1866) en la bahia de La Paz, B.C.S., Mexico. Reunion Internacional para el Estudio de los Mamiferos Marinos.
- Mignucci-Giannoni, A. A. (1998). "Zoogeography of cetaceans off Puerto Rico and the Virgin Islands." Caribbean Journal of Science **34**: 173-190.
- Mignucci-Giannoni, A. A., E. P. Hoberg, et al. (1998). "Metazoan parasites and other symbionts of cetaceans in the Caribbean." Journal of Parasitology **84**: 939-946.
- Miles, S. A., P. A. Lewis, et al. (2003). Ciliary body anqioarchitecture of four cetacean species: *Tursiops truncatus*, *Globicephala macrorhynchus*, *Kogia breviceps* and *K. simus*. Association for Research in Vision and Ophthalmology, Ft. Lauderdale, FL, ARVO.
- Milinkovitch, M. C., A. Meyer, et al. (1994). "Phylogeny of all major groups of cetaceans based on DNA sequences from three mitochondrial genes." Molecular Biology and Evolution **11**: 939-948.
- Mitchell, G. H., T. E. Donovan, et al. (2007). *Kogia* stranding hotspots in the southeastern US mirror offshore areas of high biodiversity (abstract - poster). 17th Biennial Conference on the Biology of Marine Mammals, Cape Town, South Africa, The Society for Marine Mammalogy.
- Mobley, J., S. S. Spitz, et al. (2000). Distribution and abundance of odontocete species in Hawaiian waters: Preliminary results of 1993-1998 aerial serveys. La Jolla, California, National Marine Fisheries Service, Southwest Fisheries Science Center.
- Moore, J. C. (1953). "Distribution of marine mammals to Florida waters." American Midland Naturalist **49**(1): 117-158.
- Moreira, M. B., C. J. Drehmer, et al. (1996). Sobre a ocorrencia de *Kogia breviceps* no lotora do Rio Grande do Sul, Brasil - Contribuicao a sistematica. Reunion de Trabajo de Especialistas en Mamiferos Acuaticos de America del Sur.
- Morin, P. A., A. Nestler, et al. (2005). "Interfamilial characterization of a region of the ZFX and ZFY gene facilitates sex determination in cetaceans and other mammals." Molecular Ecology **14**: 3275-3286.
- Morin, P. A., N. M. Hedrick, et al. (2006). "Comparative mitochondrial and nuclear quantitative PCR of historical marine mammal tissue, bone, baleen, and tooth samples." manuscript.
- Morisaka, T. and R. C. Connor (2007). "Predation by killer whales (*Orcinus orca*) and the evolution of whistle loss and narrow-band high frequency clicks in odontocetes." Journal of Evolutionary Biology **20**: 1439-1458.
- Moushino de Figueiredo, J. (1956). "Notas sobre um feto de cetaceo, *Kogia breviceps* Blainville." Notas e Estudos do Instituto de Biologia Maritime **11**(1-20).
- Mullin, K. D., W. Hoggard, et al. (1991). Cetaceans on the upper continental slope in

- the north-central Gulf of Mexico. OCS Study/MMS 91-0027. New Orleans, Minerals Management Service, Gulf of Mexico OCS Office: 108.
- Mullin, K. D., W. Hoggard, et al. (1994). "Cetaceans on the upper continental slope in the north-central Gulf of Mexico." Fishery Bulletin (U.S.) **92**: 773-786.
- Mullin, K. D. and L. J. Hansen (1999). Marine Mammals of the Northern Gulf of Mexico. The Gulf of Mexico Large Marine Ecosystem: Assessment, Sustainability, and Management. H. Kumpf, K. Steidinger and K. Sherman. Oxford, United Kingdom, Blackwell Science: 269-277.
- Mullin, K. and W. Hoggard (2000). Visual surveys of cetaceans and sea turtles from aircraft and ships. Cetaceans, sea turtles and seabirds in the northern Gulf of Mexico: Distribution, abundance and habitat associations. Volume II: Technical Report. OCS Study MMS 96-0027. R. W. Davis, W. E. Evans and B. Wursig. New Orleans, U. S. Department of the Interior, Minerals Management Service, Gulf of Mexico OCS Regional Office. **2**: 111-172.
- Mullin, K. D. and G. L. Fulling (2003). "Abundance and distribution of cetaceans in the southern U. S. North Atlantic Ocean during summer 1998." Fishery Bulletin (U.S.) **101**: 603-613.
- Mullin, K. D. and G. L. Fulling (2004). "Abundance of cetaceans in the oceanic northern Gulf of Mexico, 1996-2001." Marine Mammal Science **20**(4): 787-807.
- Mullin, K. D., W. Hoggard, et al. (2004). "Abundance and seasonal occurrence of cetaceans in outer continental shelf and slope waters of the North-central and Northwestern Gulf of Mexico." Gulf of Mexico Science **2004**(1): 62-73.
- Mullin, K. D. (2007). Abundance of Cetaceans in the Oceanic Northern Gulf of Mexico from 2003 and 2004 Ship Surveys. Pascagoula, MS: 25.
- Munoz-Hincapie, M. F., D. M. Mora-Pinto, et al. (1998). "First osteological record of the dwarf sperm whale in Colombia, with notes on the zoogeography of *Kogia* in South America." Rev. Acad. Colomb. Cienc. **22**(84): 433-444.
- Murphy, S., E. Rogan, et al. (2002). "Pygmy sperm whale *Kogia breviceps* (de Blainville)." Irish Naturalists Journal **27**(4): 164.
- Nagorsen, D. and G. Stewart (1983). "A dwarf sperm whale (*Kogia simus*) from the Pacific coast of Canada." Journal of Mammalogy **64**: 505-506.
- Nagorsen, D. (1985). "*Kogia simus*." Mammalian Species **239**: 1-6.
- Nascetti, G., S. Mattiucci, et al. (1998). "Host-parasite coevolution between cetaceans and their anisakid endoparasites." Parassitologia **40**(Supplement 1): 116.
- Nelson, D., A. Desbrosse, et al. (1991). "A new stranding record of the pygmy sperm whale, *Kogia breviceps*, in waters off eastern Canada." Canadian Field-Naturalist **105**(3): 407-408.
- Nemiroff, L., T. Wimmer, et al. (2010). "Cetacean strandings in the Canadian Maritime Provinces, 1990-2008." Canadian Field-Naturalist **124**(1): 32-44.
- Ness, A. R. (1967). "A measure of asymmetry of the skulls of odontocete whales." Journal of Zoology London **153**: 209-221.
- Nikaido, M., F. Matsumo, et al. (2001). "Retroposon analysis of major cetacean lineages - the monophyly of toothed whales and the paraphyly of river dolphins." Proceedings of the National Academy of Science **98**(13): 7384-7389.
- Nitta, E. T. (1991). The marine mammal stranding network for Hawaii - an overview. Marine Mammal Strandings in the United States. Proceedings of the Second Marine Mammal Stranding Workshop. NOAA NMFS Technical Report 98. I.

- Reynolds, J. E. and D. K. Odell. Miami, Florida USA, National Marine Fisheries Service, Seattle, WA. **98**: 55-62.
- Norman, J. R. and F. C. Fraser (1948). Giant fishes, whales, and dolphins. London, Putnam.
- Norman, S. and A. Lopez (2002). An update on marine mammal interactions with undersea cables. Seattle, WA, National Marine Mammal Laboratory, National Marine Fisheries Service: 19.
- Norman, S. A., C. E. Bowlby, et al. (2004). "Cetacean strandings in Oregon and Washington between 1930 and 2002." Journal of Cetacean Research and Management **6**(1): 87-99.
- Northridge, S. P. (1984). "World review of interactions between marine mammals and fisheries." FAO Fisheries Paper **251**: 1-190.
- Northridge, S. P. (1991). "An updated world review of interactions between marine mammals and fisheries." FAO Fisheries Technical Paper **251**(Supplement 1): 1-58.
- O'Brien, N. M., E. O. Keith, et al. (2007). An analysis of *Kogia* stranding data from the southeastern United States (abstract - poster). 17th Biennial Conference on the Biology of Marine Mammals, Cape Town, South Africa, The Society for Marine Mammalogy.
- O'Brien, N. M. (2008). An analysis of dwarf and pygmy sperm whale (*Kogia* sp.) stranding data in the southeast United States. Dania, Florida, Nova Southeastern University: 77.
- Odell, D. K. and E. D. Asper (1976). "Studies on the biology of *Kogia* (Cetacea: Physeteridae) in Florida: preliminary report to the Small Whales Subcommittee of the International Whaling Commission."
- Odell, D. K. and I. Reynolds, J. E. (1980). Abundance of the bottlenose dolphin, *Tursiops truncatus*, on the west coast of Florida. Final Report, U.S. Marine Mammal Commission Contract No. Miami, Florida, University of Miami, Rosenstiel School of Marine and Atmospheric Science: 1-56.
- Odell, D. K., E. D. Asper, et al. (1984). "Reproductive biology of pygmy sperm whales, *Kogia breviceps*, stranded in Florida." Report of the International Whaling Commission, Special Issue **6**: 481.
- Odell, D. K., D. M. Burn, et al. (1985). Strandings of dwarf and pygmy sperm whales (*Kogia* spp.) on the east coast of Florida. Sixth Biennial Conference on the Biology of Marine Mammals, Vancouver, British Columbia, Canada, Society for Marine Mammalogy.
- Odell, D. K. (1991). "A review of the southeastern United States marine mammal stranding network; 1978-1987." Marine Mammal Strandings in the United States. Proceedings of the Second Marine Mammal Stranding Workshop. NOAA Technical Report NMFS **98**: 19-23.
- Odell, D. K., N. B. Barros, et al. (2004). Dwarf and pygmy sperm whale (Genus *Kogia*) stranding patterns in the southeastern United States. American Society of Mammalogists Annual Meeting, Arcata, California.
- Odell, D. K., N. B. Barros, et al. (2006). Life history and stranding patterns of pygmy and dwarf sperm whales (genus *Kogia*) as critical tools in interpreting health assessment trends in wild populations. Final Report. NMFS Prescott Grant No. NA17FX2006. Orlando, FL, Hubbs-SeaWorld Research Institute.
- Odell, D. K. (2007). A review of cetacean and pinniped strandings in Florida: 1977-2006

- (abstract). 17th Biennial Conference on the Biology of Marine Mammals, Cape Town, South Africa, The Society for Marine Mammalogy.
- Ogawa, T. (1936). "Studien uber die Zahnwale in Japan. Pt. VI, *Cogia*." Botany and Zoology **4**: 2017-2024.
- Ohishi, K., T. Maruyama, et al. (2006). "Serologic investigation of influenza A virus infection in cetaceans from the western North Pacific and Southern oceans." Marine Mammal Science **22**(1): 214-221.
- Okada, Y. (1938). A catalogue of vertebrates of Japan. Tokyo.
- Oliveira, J. B., J. A. Morales, et al. (2011). "Parasites of cetaceans stranded on the Pacific coast of Costa Rica." Veterinary Parasitology **182**: 319-328.
- Oliver, W. R. B. (1922). "The Whales and Dolphins of New Zealand." The New Zealand Journal of Science and Technology **5**(3): 129-141.
- Omura, H. and Y. Takahashi (1981). "A pygmy sperm whale stranded at Tokaimura, Ibaragi, Japan." Scientific Reports of the Whales Research Institute (Japan) **33**: 119-124.
- Omura, H., M. Shirakihara, et al. (1984). "A pygmy sperm whale accidentally taken by drift net in the North Pacific." Scientific Reports of the Whales Research Institute (Japan) **35**: 183-193.
- Ortega-Argueta, A., B. Morales-Vela, et al. (1998). Registros recientes de varamientos de Physeteridos (Mammalia: Cetacea) en Quintana Roo, Mexico. XXIII Reunion Internacional para el Estudio de los Mamiferos Marinos, Xcaret, Quintana Roo, Mexico.
- Ortega-Argueta, A., C. E. Perez-Sanchez, et al. (2005). "Cetacean strandings in the southwestern coast of the Gulf of Mexico." Gulf of Mexico Science **23**(2): 179-185.
- Ostrom, P. H., J. Lien, et al. (1993). "Evaluation of the diet of Sowerby's beaked whale, *Mesoplodon bidens*, based on isotopic comparisons among northwestern Atlantic cetaceans." Canadian Journal of Zoology **71**(4): 858-861.
- Owen, R. (1866). "On some Indian Cetacea collected by Walter Ellion, Esq." Transactions of the Zoological Society of London **6**: 17-47.
- Owen, R. (1867). "Note to memoir on the Indian Cetacea collected by Sir Walter Elliot." Transactions of the Zoological Society of London **6**: 171-174.
- Pacheco, S. (2003). Kogia sima beaten to death. MARMAM, MARMAM.
- Paiva, M. P. and B. F. Grangeiro (1965). "Biological investigations on the whaling seasons 1960-1963, off northeastern coast of Brazil. (*Balaenoptera*, *Physeter*, *Megaptera*, *Kogia*)." ARQUIVOS DA ESTACAO DE BIOLOGIA MARINHA DA UNIVERSIDADE FEDERAL DO CEARA **5**(1): 29-64.
- Paiva, M. P. and B. F. Brangeiro (1965). "Biological investigations on the whaling seasons 1960-1963, off northeastern coast of Brazil. (*Balaenoptera*, *Physeter*, *Megaptera*, *Kogia*)." ARQUIVOS DA ESTACAO DE BIOLOGIA MARINHA DA UNIVERSIDADE FEDERAL DO CEARA **5**(1):29-64. 1965.
- Palacios, D. M., T. Gerrodette, et al. (1996). Marine mammal diversity off the Galapagos Islands, Ecuador. Reunion de Trabajo de Especialistas en Mamiferos Acuaticos de America del Sur.
- Palacios, D. M., S. K. Salazar, et al. (2004). "Cetacean remains and strandings in the Galapagos Islands, 1923-2003." The Latin American Journal of Aquatic Mammals **3**(2): 127-150.
- Palmer, R. S. (1948). "A school of whales, *Kogia*?" Journal of Mammalogy **29**: 241.
- Parente, C. L., J. P. de Araujo, et al. (2007). "Diversity of cetaceans as tool in

- monitoring environmental impacts of seismic surveys." Biota Neotropica **7**(1): 7.
- Parra Venegas, R. (1998). Two stranding records: *Stenella clymene* and *Kogia breviceps* at the coast of Cancun, Quintana Roo. Reunion Internacional para el Estudio de los Mamíferos Marinos.
- Patterson, H., M. Holst, et al. (2009). Cetacean sightings during a seismic study in the eastern Tropical Pacific, April-August 2008. Eighteenth Biennial Conference on the Biology of Marine Mammals, Quebec City, Quebec, Canada, society for Marine Mammalogy.
- Pearson, J. (1920). "A note on *Kogia breviceps*." Spolia Zeylanica, Columbo **6**: 303-305.
- Pelton, C., T. Tristan, et al. (2001). Caloric requirements of an orphaned pygmy sperm whale (*Kogia breviceps*) calf. 32nd Annual Conference of the International Association for Aquatic Animal Medicine, Tampa, Florida USA.
- Penas Patino, X. M. and A. Pineiro Seage (1989). Cetaceos, focas e tartarugas das costas ibericas. Santiago de Compostela, Spain, Conselleria de Pesca (Xunta de Galicia).
- Pendergraph, G. (1971). "First report of acanthocephalan, *Bolbosoma vasculosum* (Rudophi, 1819), from the pygmy sperm whale, *Kogia breviceps*." Journal of Parasitology **57**: 1109.
- Pereira, A., B. Melo, et al. (1998). Primeiro registro de *Kogia simus* (Cetacea: Physteridae) para a Paraiba, com notas osteológicas. XXII Congresso Brasileiro de Zoologia, Recife, Brasil.
- Perez, M. C., C. Nores, et al. (1990). "Marine mammals on the coast of Asturias: Records between 1987-1989." Boletín del Instituto Español de Oceanografía (Madrid) **6**(2): 137-144.
- Perez, C., A. Lopez, et al. (2001). ICES Council Meeting Papers - Stranding and by-catch of cetaceans in the northeastern Atlantic during 1996. Copenhagen, Denmark, International Council for the Exploration of the Sea: 1-4.
- Perrin, W. F., M. L. L. Dolar, et al. (1996). Report of the workshop on the biology and conservation of small cetaceans and dugongs of Southeast Asia. East Asia Seas Action Plan. UNEP(W)/EAS WG 1/2. Bangkok, Thailand, UNEP: 101.
- Perrin, W. F., R. R. Reeves, et al. (2002). Report of the Second Workshop on the Biology and Conservation of Small Cetaceans and Dugongs of Southeast Asia. CMS Technical Series Publication No. 9, Silliman University, Dumaguete City, Philippines, UNEP/CMS Secretariat, Bonn, Germany.
- Piers, H. (1923). "Accidental occurrence of the pygmy sperm whale (*Kogia breviceps*) on the coast of Nova Scotia: an extension of its known range." Proceedings and Transactions of the Nova Scotia Institute of Science **15**: 95-114.
- Pilleri, G. (1986). "Pygmy sperm whales (*Kogia*) in the Italian Pliocene." Investigations on Cetacea **18**: 133-144.
- Pilleri, G. (1986). "The taxonomic status of *Schizodelphis elongatus* synonym *Miokogia elongatus* (Probst, 1886) (Cetacea, Physteridae)." Investigations on Cetacea **18**: 155-165.
- Pilleri, G. and F. C. Fulgosi (1989). "Additional observations on the Lower Serravallian marine mammal fauna of Visiano and the Stirone River (Northern Appennines)." Contributions to the Paleontology of Some Tethyan Cetacea and Sirenia (Mammalia) II: **63-83**.
- Pinedo, M. C., N. B. Barros, et al. (1984). *Kogia simus* (Owen, 1866), primeiro registro

- para o Atlantico Sul Occidental. Primera Reunion de Trabajo de Especialistas en Mamiferos Acuaticos de America del Sur, Buenos Aires, Argentina.
- Pinedo, M. (1987). "First record of a dwarf sperm whale from the southwest Atlantic, with reference to osteology, food habits and reproduction." Scientific Reports of the Whales Research Institute (Japan) **38**: 171-186.
- Piscitelli, M. A., W. A. McLellan, et al. (2009). Comparing lung size in shallow (*Tursiops truncatus*) and deep (*Kogia* spp.) diving cetaceans. SEAMAMMS 2009, University of North Carolina at Wilmington.
- Piscitelli, M. A., W. A. McLellan, et al. (2009). Do deep diving cetaceans have small lungs? Eighteenth Biennial Conference on the Biology of Marine Mammals, Quebec City, Quebec, Canada, Society for Mammalogy.
- Ploen, S., R. T. F. Bernard, et al. (1999). Stomach content analysis of pygmy and dwarf sperm whales and its ecological implications: is there niche partitioning? Thirteenth Annual Conference of the European Cetacean Society.
- Ploen, S., P. Best, et al. (2003). Dwarf (*Kogia sima*) sperm whales in the southern hemisphere. 15th Biennial Conference on the Biology of Marine Mammals, Greensboro, North Carolina, USA, Society for Marine Mammalogy.
- Ploen, S. (2004). The status and natural history of pygmy (*Kogia breviceps*) and dwarf (*Kogia sima*) sperm whales off southern Africa. Grahamstown, South Africa, Rhodes University.
- Ploen, S. and R. T. F. Bernard (2006). "A review of spermanozoan morphology in Cetacea with new data for the genus *Kogia*." Journal of Zoology **269**(4): 466-473.
- Plon, S., S. Parsons, et al. (2005). Skunks of the Sea? The Composition and Functin of Pygmy Sperm Whale "Ink". 16th Biennial Conference on the Biology of Marine Mammals, San Diego, California, USA.
- Poole, A. J. and V. S. Schantz (1942). "Catalog of the type specimens of mammals in the United States National Museum, including the Biological Surveys Collection." Bulletin, United States National Museum **178**.
- Portes-Santos, C. and L. Lodi (1998). "Occurrence of *Anisakis physeteris* Baylis, 1923 and *Pseudoterranova* sp. (Nematoda) in pigmy sperm whales *Kogia breviceps* (de Blainvillei, 1838) (Physeteridae) in northeastern coast of Brazil." Memoriasdo Instituto Oswaldo Cruz **93**: 187-188.
- Poth, C., C. Fung, et al. (2005). "Neuron numbers in sensory cortices of five delphinids compared to a physeterid, the pygmy sperm whale." Brain Research Bulletin **66**: 357-360.
- Potter, C. W. and B. Birchler (1999). Pygmy Sperm Whale - *Kogia breviceps*. The Smithsonian Book of North American Mammals. D. E. Wilson and S. Ruff. Washington, DC, Smithsonian Institution Press: 301-302.
- Poynton, S. L., B. R. Whitaker, et al. (1996). A new flagellate protozoan living as a commensal or opportunist in the blowhole of a stranded pygmy sperm whale (*Kogia breviceps*). Proceedings of the 3rd European Cetacean Society Workshop on Cetacean Pathology, Lisbon, Portugal.
- Poynton, S. L., B. R. Whitaker, et al. (1997). A new flagellate protozoan living as a commensal or opportunist in the blowhole of a stranded pygmy sperm whale (*Kogia breviceps*). 26th Annual Conference of the International Association for Aquatic Animal Medicine.
- Poynton, S. L., B. R. Whitaker, et al. (2001). "a novel trypanoplasm-like flagellate

- Jarrellia atramenti* n.g., n.sp. (Kinetoplastida: Bodonidae) and ciliates from the blowhole of a stranded pygmy sperm whale *Kogia breviceps* (Physeteridae): morphology, live cycle and potential pathogenicity." Diseases of Aquatic Organisms **44**: 191-201.
- Praderi, R. (1973). Un nuevo ejemplar de *Kogia breviceps* (Cetacea, Physeteridae) del Atlantico Sudoccidental. Caracteres y notas. Congreso Latinoamericano de Zoología, Montevideo, Uruguay.
- Price, M., G. MacDonald, et al. (1984). "Treatment of a strandling whale (*Kogia breviceps*)." New Zealand Veterinary Journal **32**(3): 31-33.
- Quiazon, K. M. A., M. D. Santos, et al. (2013). "*Anisakis* species (Nematoda: Anisakidae) of dwarf sperm whale *Kogia sima* (Owen, 1866) stranded of the Pacific coast of southern Philippine archipelago." Veterinary Parasitology **197**: 221-230.
- Radway, S. (2002). Whale found in Cocos Lagoon. Pacific Daily News.
- Rancurel, P. (1973). "The stranding of sea mammals in the southwest Pacific in 1972." South Pacific Bulletin **23**(4): 18-21.
- Ratcliffe, H. (1942). "Autopsy of a male pigmy sperm whale (*Kogia breviceps*)." Notuale Naturae **112**: 1-4.
- Raun, G. R., H. D. Hoese, et al. (1970). "Pygmy sperm whales, genus *Kogia*, on the Texas coast." Texas Journal of Science **21**(3): 269-274.
- Reidenberg, J. S. and J. T. Laitman (1987). "Position of the larynx in Odontoceti (toothed whales)." Anatomical Record **218**(1): 98-106.
- Reidenberg, J. S. and J. T. Laitman (1988). "Existence of vocal folds in the larynx of Odontoceti (toothed whales)." Anatomical Record **221**(4): 884-891.
- Reidenberg, J. S. and J. T. Laitman (2009). Odontocet air-heads: Empty spaces full of function. Eighteenth Biennial Conference on the Biology of Marine Mammals, Quebec City, Quebec, Canada, Society for Marine Mammalogy.
- Reiner, F. (1981). "Occurrence of a pygmy sperm whale, *Kogia breviceps* Blainville, 1838, at Praia de Salgueiros, Vila Nova de Gaia." Mem. Museu do Mar (Cascais, Portugal) **2**(15): 1-12.
- Reyes, J. and K. Van Waerebeek (1992). Nuevos registros del genero *Kogia* en Peru. Reunion de Trabajo de Especialistas en Mamiferos Acuaticos de America del Sur, Montevideo, Uruguay.
- Reynolds, I., J. E. and R. S. Wells (2003). Dolphins, Whales, and Manatees of Florida. A Guide to Sharing Their World. Gainesville, Florida, USA, University Press of Florida.
- Rhinehart, H. L., F. Townsend, et al. (1995). Unusual behaviors in a young stranded pygmy sperm whale calf (*Kogia breviceps*). 26 Annual Conference of the International Association for Aquatic Animal Medicine.
- Rice, D. and A. Wolman (1990). "The stomach of *Kogia breviceps*." Journal of Mammalogy **71**(2): 237-242.
- Rice, D. W. (1998). Marine Mammals of the World: Systematics and Distribution. Lawrence, Kansas, USA, Society for Marine Mammalogy.
- Rice, J. M., D. A. Duffield, et al. (2009). Morbidity and mortality in marine mammals along the Oregon and southern Washington coasts. Eighteenth Biennial Conference on the Biology of Marine Mammals, Quebec City, Quebec, Canada, Society for Marine Mammalogy.
- Ridgway, S. H. and D. Carder (2001). "Assessing hearing and sound production in

- cetacean species not available for behavioral audiograms: experience with *Physeter*, *Kogia* and *Eschrichtius*." Aquatic Mammals **27**: 267-276.
- Robineau, D. and P. Rancurel (1981). "Sur deux specimens du genre *Kogia* (Cetacea, Physeteridae) en Nouvelle-Caledonie." Zeitschrift Saugetierkunde **46**: 56-88.
- Robineau, D. (1989). "Types of living cetaceans in the National Museum of Natural History (Paris). 1. Balaenidae, Balaenopteridae, Kogiidae, Ziphiidae, Iniidae, Pontoporiidae." Bulletin du Museum National d'Histoire Naturelle (France) **11**(1): 271-289.
- Roest, A. (1970). "*Kogia simus* and other cetaceans from San Luis Obispo County, California." Journal of Mammalogy **51**: 410-417.
- Rogan, E., R. Penrose, et al. (2001). Marine mammal strandings. A collaborative study for the Irish Sea. INTERREG Report No. 8, Maritime Ireland/Wales: 53.
- Rommel, S. A., A. M. Costidis, et al. (2009). Vascular structures associated with air sacs and fatty bodies in the ventral head of *Tursiops truncatus*, *Kogia* spp., and *Ziphius cavirostris*. Eighteenth Biennial Conference on the Biology of Marine Mammals, Quebec City, Quebec, Canada, Society for Marine Mammalogy.
- Rosales-Nanduca, H., T. Gerrodette, et al. (2011). "Macroecology of marine mammal species in the Mexican Pacific Ocean: diversity and distribution." Marine Ecology Progress Series **431**: 281-291.
- Rosas, F. and M. Pinedo (1989). "Nota sobre a ocorrencia do cachalote pigmeu, *Kogia breviceps*, no litoral do Rio Grande do Sul, Brasil." Atlantica **11**: 109-113.
- Ross, G. J. B. (1979). "Records of pygmy and dwarf sperm whales, genus *Kogia*, from southern Africa, with biological notes and some comparisons." Annals of the Cape Provincial Museum (Natural History) **11**: 259-327.
- Ross, G. J. B. (1979). The smaller cetaceans of the southern-east coast of Southern Africa. Zoology Department. Port Elizabeth, South Africa, University of Port Elizabeth: 1-415.
- Ross, G. J. B. (1979). "Distribution of small cetaceans on the south east coast of southern Africa." South African Journal of Science **75**(12): 563.
- Ross, G. J. B. (1984). "The smaller cetacea of the south east coast of southern Africa." Annals of the Cape Provincial Museum (Natural History) **15**: 173-411.
- Ross, G. J. B., V. G. Cockcroft, et al. (1985). "Additions to the marine mammal faunas of South Africa and Natal." Lammergeyer (Pietermaritzburg) **35**: 36-40.
- Ross, H. A., G. M. Lento, et al. (2003). "DNA Surveillance: Web-based molecular identification of whales, dolphins and porpoises." Journal of Heredity **94**(2): 111-114.
- Rudolph, P. (1997). Notes on the genus *Kogia* in the Indonesian Archipelago and a review of records in south-east Asian waters. Annual Conference of the European Cetacean Society.
- Ruiz, G. M. (1993). Male reproductive anatomy of the pygmy sperm whale, *Kogia breviceps*, and the dwarf sperm whale, *Kogia simus*, based on gross and histological observations. Tampa, University of South Florida.
- Ruiz, G. M. (1993). Male reproductive anatomy of the pygmy sperm whale, *Kogia breviceps*, and dwarf sperm whale, *Kogia simus*, based on gross and histological observations. Department of Marine Science. St. Petersburg, University of South Florida: 80.
- Sampaio, C. and E. Aroucha (2000). "Registro do Cachalote-anao, *Kogia simus* Owen,

- 1866, no litoral da Bahia, Nordeste do Brasil." Revista Bioikos **14**(1): 28-33.
- Sanino, G. P. and J. Yanez (1996). Estudio del cachalote pigmeo *Kogia breviceps* (Blainville, 1838), varado en la costa de Chile. VII Reunion de Trabajo de Especialistas en Mamiferos Acuaticos de America del Sur y I Congreso de la Sociedad Latinoamericana de Especialistas en Mamiferos Acuaticos, Vina del Mar, Chile.
- Sanino, G. P. and J. Yanez (1997). "Estudios sobre un cachalote pigmeo, *Kogia breviceps* (de Blainville 1838), varado en la costa de Chile." Boletin del Museo Nacional de Historia Natural, Santiago, Chile **46**: 81-93.
- Santos, C. P. and L. Lodi (1996). Occurrence of *Anisakis physeteris* Baylis, 1923 and *Pseudoterranova* sp. (Nematoda) in pygmy sperm whale *Kogia breviceps* (de Blainville 1838) (Physeteridae) in northern Brazil. Reunion de Trabajos de Especialistas en Mamiferos Acuaticos de America del Sur.
- Santos, C. P. and L. Lodi (1998). "Occurrence of *Anisakis physeteris* Baylis, 1923 and *Pseudoterranova* sp. (Nematoda) in pygmy sperm whale *Kogia breviceps* (De Blainville, 1838) (Physeteridae) in northeastern coast of Brazil." Memorias do Instituto Oswaldo Cruz **93**(2): 187-188.
- Santos, R. A. and M. Haimovici (1998). Cephalopods in the diet of marine mammals stranded or incidentally caught along southeast and southern Brazil (21 degrees to 34 degrees South latitude). Impact of Cephalopods in the Food Chain. Copenhagen, Denmark, International Council for the Exploration of the Sea: 15.
- Santos, M. B., G. J. Pierce, et al. (2006). "Pygmy sperm whales *Kogia breviceps* in the northeast Atlantic: new information on stomach contents and strandings." Marine Mammal Science **22**(3): 600-616.
- Scharnitz, J. and E. O. Keith (2004). Preliminary analysis of the vocalizations of the pygmy sperm whale, *Kogia breviceps*. Southeast and Mid-Atlantic Marine Mammal Symposium, Harbor Branch Oceanographic Institution, Ft. Pierce, FL.
- Schartz, M., A. A. Hohn, et al. (1992). "Stomach contents of beachcast cetaceans collected along the San Diego County coast of California, 1972-1991." NOAA/NMFS SWFC Administrative Report LJ-92-18 **18**: 1-33.
- Scheffer, V. and J. Slipp (1948). "The whales and dolphins of Washington State with a key to the cetaceans of the west coast of North America." American Midland Naturalist **39**(2): 257-337.
- Schenkkan, E. J. and P. E. Purves (1973). "The comparative anatomy of the nasal tract and function of the spermaceti organ in Physeteridae (Mammalia, Odontocete)." Bijdragen tot de Dierkunde **43**: 93-112.
- Schmidly, D. J. and B. A. Melcher (1974). "Annotated checklist an key to the cetaceans of Texas waters." Southwestern Naturalist **18**(4): 453-464.
- Schmidly, D. J. (1981). Marine mammals of the southeastern United States coast and the Gulf of Mexico. Washington, DC, U.S. Fish & Wildlife Service.
- Schulte, H. v. W. (1917). "The skull of *Kogia breviceps* Blainv." Bulletin of the American Museum of Natural History **37**: 361-404.
- Schulte, H. v. W. and M. d. F. Smith (1918). "The external characters, skeletal muscles and peripheral nerves of *Kogia breviceps* (Blainville)." Bulletin of the American Museum of Natural History **38**: 7-72.
- Scordino, J. (1991). Overview of the northwest region marine mammal stranding network, 1977-1987. Marine Mammal Strandings in the United States.

- Proceedings of the Second Marine Mammal Stranding Workshop. NOAA Technical Report NMFS. I. Reynolds, J. E. and D. K. Odell. Silver Spring, Maryland, USA, U. S. National Oceanographic and Atmospheric Administration. 98: 35-42.
- Scott, M. D. and J. Cordaro (1987). "Behavioral observations of the dwarf sperm whale, *Kogia simus*." Marine Mammal Science **3**(4): 353-354.
- Scott, M. D., A. A. Hohn, et al. (2001). "A note on the release and tracking of a rehabilitated pygmy sperm whale (*Kogia breviceps*)." Journal of Cetacean Research and Management **3**(1): 87-94.
- Scott, F. W. and A. J. Hebda (2004). "Annotated list of the mammals of Nova Scotia." Proceedings of the Nova Scotia Institute of Science **42**(2): 189-208.
- Seagars, D. J. and E. A. Jozwiak (1991). The California marine mammal stranding network 1972-1987: Implementation, status, recent events, and goals. Marine Mammal Strandings in the United States. Proceedings of the Second Marine Mammal Stranding Workshop. NOAA Technical Report NMFS. I. Reynolds, J. E. and D. K. Odell. Silver Spring, Maryland, USA. 98: 25-33.
- Secchi, E. R., M. Campolom, et al. (1994). Notas sobre o encalhe de dois cachalotes pigmeus *Kogia breviceps* na coasta sul do Rio Grande do Sul-Brasil. IV Reunion de Especialistas en Mamiferos Acuaticos de America del Sur, Chile.
- Sedlak-Weinstein, E. (1992). "A new species of *Isocyamus* (Amphipoda: Cyamidae) from *Kogia breviceps* (de Blainville, 1838) in Australian waters." Systematic Parasitology **23**(1): 1-6.
- Seki, Y. (1984). "Anatomical studies on the cell column located closely medial to the nucleus of the spinal root of the trigeminal nerve in the sperm and pygmy sperm whales." Scientific Reports of the Whales Research Institute (Japan) **35**: 47-56.
- Sequeira, M., A. Inacio, et al. (1992). Arrojamentos de Mamiferos Marinhosna Costa Portuguesa entre 1978 e 1988. Estudos de Biologia e Conservacao da Natureza 19. Lisboa, Portugal, Servico Nacional de Parques, Reservas e Conservacao de Natureza.
- Sequeira, M., A. Inacio, et al. (1996). Arrojamentos de Mamiferos Marinhos na Costa Continental Portuguesa entre 1989-1994. Estudos de Biologia e Conservacao da Natureza 19. Lisboa, Portugal, Servico Nacional de Parques, Reservas e Conservacao da Natureza.
- Serene, R. (1934). "Sur an echouage de *Kogia breviceps* Gray a proximite de l'Institut Oceanographique de Nhatrang (Annam)." Bull. Mus. Historie Naturelle Paris **6**: 398-399.
- Sergeant, D. E., A. W. Mansfield, et al. (1970). "Inshore records of Cetacea for Eastern Canada." Journal of the Fisheries Research Board of Canada **27**: 1903-1915.
- Sergeant, D. E. (1979). Ecological aspects of cetacean strandings. Biology of Marine Mammals: Insights Through Strandings. J. R. Geraci and D. J. St. Aubin. Washington, DC, U.S. Department of Commerce, National Technical Information Service.: 94-113.
- Shallenberger, E. W. (1981). The status of Hawaiian cetaceans. Washington, DC, U. S. Marine Mammal Commission.
- Sheldrick, M. C. (1979). Cetacean strandings along the coasts of the British Isles: 1913-1977. Biology of Marine Mammals: Insights Through Strandings. J. R. Geraci and D. J. St. Aubin. Washington, D.C., U.S. Department of Commerce, National

- Technical Information Service. **PB-293 890**: 35-53.
- Sherwood, T. (1989). Incident report on the beaching of a pygmy sperm whale (*Kogia breviceps*). Agana, Guam.
- Shirakihara, M., Y. Yabumoto, et al. (1987). "Report on *Kogia simus* stranded at the mouth of Muromi Kawa, Fukuoka." Geiken-Tsushin **370**: 101-104.
- Sierra, E., A. E. de los Monteros, et al. (2013). "Sarcoplasmic masses in the skeletal muscle of a stranded pigmy sperm whale (*Kogia breviceps*)."
Journal of Wildlife Diseases **49**(3): 679-683.
- Silva, J. M., F. J. Silva, et al. (1996). Ocorrencias de cetaceos na regio oceanica entre Atol das Rocas, Arquipelago de Fernando de Noronha e penedos de Sao Paulo, Brasil. Reunion de Trabajo de Especialistas en Mamiferos Acuaticos de America del Sur.
- Skinder, C. and J. G. Mead (1979). Marine mammal strandings: On site problems and solutions. Biology of Marine Mammals: Insights Through Strandings. J. R. Geraci and D. J. St. Aubin. Washington, DC, U.S. Department of Commerce, National Technical Information Service. **PB-293 890**: 248-261.
- Slijper, E. J. (1966). Functional morphology of the reproductive system in Cetacea. Whales, Dolphins and Porpoises. K. S. Norris. Berkeley, CA, University of California Press: 278-319.
- Smalley, A. E. (1959). "Pigmy sperm whale in Georgia." Journal of Mammalogy **40**(3): 452.
- Smar, C. M., W. E. McFee, et al. (2007). Creation of an age-based life history table for *Kogia breviceps* from the east coast of the United States (abstract - poster). 17th Biennial Conference on the Biology of Marine Mammals, Cape Town, South Africa, The Society for Marine Mammalogy.
- Smith, T. L., B. S. Turnbull, et al. "Morphology of the complex laryngeal gland in the Atlantic bottlenose dolphin, *Tursiops truncatus*." Anatomical Record.
- Smith, R. C., P. Sustan, et al. (1986). "Distribution of cetaceans and sea-surface chlorophyll concentrations in the California Current." Marine Biology **91**: 385-402.
- Smith, M. R., M. S. Shivji, et al. (1996). "Phylogenetic evidence from the IRBP gene for the paraphyly of toothed whales, with mixed support for Cetacea as a suborder of Artiodactyla." Molecular Biology and Evolution **13**(7): 918-922.
- Smith, B. D., T. A. Jefferson, et al. (1997). "Investigations of marine mammals in Vietnam." Asian Marine Biology **14**: 145-172.
- Sokolov, A. S. and W. F. Perrin (1978). Some morphological features of the pygmy sperm whale. Proceedings of the All-Union Conference, Simferopol, Soviet Union.
- Solis, D. G., V. M. Vidal-Martinez, et al. (2006). "Anisakid nematodes from stranded pygmy sperm whales, *Kogia breviceps* (Kogiidae), in three localities fo the Yucatan Peninsula, Mexico." Journal of Parasitology **92**(5): 1120-1122.
- Soto, J. M. R., L. R. Caseca-Santos, et al. (1996). Dados sobre a captura acidental de cetaceos pela frota Pesqueira de Itajai (Santa Catarina, Brasil), atraves de redes de amalhe de superfiche. Reunion de Trabajo de Especialistas en Mamiferos Acuaticos de America del Sur.
- Soto, J. and S. Ternes-Silva (1998). Novos registros de *Kogia breviceps* e *Kogia simus* (Cetacea, Physteridae, Kogiinae) no sul do Brasil e revisao dos registros em aguas brasileiras. XI Semana Nacional de Oceanografia, Rio Grande do Sul,

- Brasil.
- Soto, J. M. R., A. Montibeler, et al. (1999). Análise do conteúdo estomacal de *Kogia breviceps* e *Kogia simus* (Cetacea, Physeteridae), coletado em Santa Catarina, Brasil. XII Semana Nacional de Oceanografia, Rio de Janeiro, Brasil.
- Souto, L. R. A., J. G. A. Oliveira, et al. (2007). "Análise das mordidas de tubarões-charuto, *Isistius* spp. (Squaliformes: Dalatiidae) em cetáceos (Mammalia: Cetacea) no litoral da Bahia, Nordeste do Brasil." Revista Biotemas **20**(1): 19-25.
- Spitz, J., Y. Cherel, et al. (2011). "Prey preferences among the community of deep-diving odontocetes from the Bay of Biscay, northeast Atlantic." Deep-Sea Research I **58**: 273-282.
- Stamper, A. (1994). A young whale, victim of ocean-borne plastic. Third International Conference on Marine Debris.
- Stamper, M. A., B. R. Whitaker, et al. (2006). "Case study: morbidity in a pygmy sperm whale *Kogia breviceps* due to ocean-borne plastic." Marine Mammal Science **22**(3): 719-722.
- Staudinger, M. D., R. J. McAlarney, et al. (2014). "Foraging ecology and niche overlap of pygmy (*Kogia breviceps*) and dwarf (*Kogia sima*) sperm whales from waters of the U.S. mid-Atlantic coast." Marine Mammal Science **30**(2): 626-655.
- Stratton, M., P. J. Duignan, et al. (2000). Pygmy sperm whale (*Kogia breviceps*) strandings in New Zealand: insights on biology. Proceedings, Wildlife Diseases Association (Australasian Section) and NZVA Wildlife Society Joint Conference, Leigh Marine Laboratory, Warkworth, New Zealand.
- Sylvestre, J. P. (1983). Review of *Kogia* specimens (Physeteridae, Kogiidae) kept alive in captivity. Investigations on Cetacea. G. Pilleri. Berne. **15**: 201-219.
- Sylvestre, J. P. (1988). "On a specimen of pygmy sperm whale *Kogia breviceps* (Blainville, 1838) from New Caledonia." Aquatic Mammals **14**: 76-77.
- Sylvestre, J. P. (1988). "Note on three dwarf sperm whale *Kogia simus* (Owen, 1866) and comments on kogiids of Japanese coasts." Aquatic Mammals **14**: 120-122.
- Takeuchi, N. Y., M. T. Walsh, et al. (2009). Evaluation of trace metals in the Florida manatee (*Trichechus manatus latirostris*) and the expression of metallothionein as a potential biomarker of metal exposure. Eighteenth Biennial Conference on the Biology of Marine Mammals, Quebec City, Quebec, Canada, Society for Marine Mammalogy.
- Tarpley, R. J. (1990). Plastic ingestion in a pygmy sperm whale, *Kogia breviceps*. Proceedings of the Second International Conference on Marine Debris, Honolulu, Hawaii, USA, National Marine Fisheries Service.
- Tarpley, R. and S. Marwitz (1993). "Plastic debris ingestion by cetaceans along the Texas coast: two case reports." Aquatic Mammals **19**: 93-98.
- Taylor, F. J. (1976). "Records of amphibians, reptiles and mammals of the Leigh District, New Zealand." Tane **22**: 173-176.
- Teixeira, A. M. (1978). "On the occurrence of the pygmy sperm whale in the Azores waters." Mem. Museu do Mar (Cascais, Portugal) **1**(3): 1-5.
- Tejedor, M., V. Martin, et al. (2009). Dwarf and pygmy sperm whale in Canary Islands. Eighteenth Biennial Conference on the Biology of Marine Mammals, Quebec City, Quebec, Canada, Society for Marine Mammalogy.
- Ternes-Silva, S., J. M. R. Soto, et al. (1996). Numero de registros de crédito interno com material tombado na coleção da seção de mastozoologia do Museu

- Oceanografico do Vale do Itajai-Movi. Reunion de Trabajo de Especialistas en Mamiferos Acuaticos de America del Sur.
- Thomas, J., P. Moore, et al. (1990). "A new sound from a stranded pygmy sperm whale." Aquatic Mammals **16**(1): 28-30.
- Thomas, J. A., P. W. B. Moore, et al. (1990). A stranded pygmy sperm whale. 18th Annual Symposium of the European Association for Aquatic Mammals.
- Thompson, G. A. (1996). Comportamiento en cautiverio de un cachalote pigmeo (*Kogia breviceps*). Reunion de Trabajo de Especialistas en Mamiferos Acuaticos de America del Sur.
- Thornton, S., W. A. McLellan, et al. (2013). Functional morphology of pygmy (*Kogia breviceps*) and dwarf (*K. sima*) sperm whale dorsal acoustic structures. 20th Conference on the Biology and Conservation of Marine Mammals, Dunedin, New Zealand, Society for Marine Mammalogy.
- Thornton, S. W., W. A. McLellan, et al. (2015). "Morphology of the nasal apparatus in pygmy (*Kogia breviceps*) and dwarf (*K. sima*) sperm whales." The Anatomical Record **298**: 1301-1326.
- Tomich, P. Q. (1986). Mammals in Hawaii: A Synopsis and Notational Bibliography. Honolulu, Hawaii, Bishop Museum Press.
- Tomilin, A. G. (1967). Mammals of the U.S.S.R. and adjacent countries. IX. Cetacea. Jerusalem, Israel Program for Scientific Translations.
- Tomkins, I. R. (1934). "A pigmy sperm whale from the Savannah River entrance." Journal of Mammalogy **15**: 250-251.
- Toro, H. (1965). Presencia de *Kogia* en aguas Chilenas (Physteridae, Cetacea). III Congreso Latinoamericano de Zoología, Chile.
- Tristan, T., C. Pelton, et al. (2001). Computerized tomography of a sinus abscess in a pygmy sperm whale (*Kogia breviceps*). Annual Conference of the International Association for Aquatic Animal Medicine, Tampa, Florida, USA.
- True, F. W. (1884). "Great International Fisheries Exhibition, London, 1883. United States of America. H. Catalogue of the Aquatic Mammals Exhibited by the United States National Museum." Bulletin, United States National Museum **27**: 623-644.
- True, F. W. (1884). "Suggestions to the keepers of the U.S. life-saving stations, light-houses, and light-ships; and to other observers relative to the best means of collecting and preserving specimens of whales and porpoises." Annual Report of the Commissioner of Fish and Fisheries for 1883,: 1157-1182.
- True, F. W. (1885). "Notice of the capture of a male pygmy sperm whale - *Kogia breviceps* - at Kitty Hawk, North Carolina." Bulletin of the United States Fish Commisson **5**: 132-133.
- Tuohy, M., M. Stratton, et al. (2001). Pygmy sperm whale (*Kogia breviceps*) strandings in New Zealand: Distribution patterns based on age, sex, and reproductive status. 14th Biennial Conference on the Biology of Marine Mammals, Vancouver, British Columbia, Canada.
- Turnbull, B. S. and D. F. Cowan (1999). "Angiomatosis, a newly recognized disease in Atlantic bottlenose dolphins (*Tursiops truncatus*) from the Gulf of Mexico." Veterinary Pathology **26**: 28-34.
- Turner, W. (1903). "The occurrenc of the sperm whale or cachalot in the Shetland Seas, with notes on the tympano-petrous bones of *Physeter*, *Kogia*, and other Odontoceti." Proceedings of the Royal Society of Edinburgh **24**: 423-436.
- Uchida, S. (1994). Cetaceans in the Ryukyu Waters. Pilot Whale and Nago People.

- Nago-city, Japan, Nago Museum: 75-118.
- Ulmer, F. A. J. (1941). "*Kogia breviceps* in South Carolina and New Jersey." Journal of Mammalogy **22**: 450-451.
- USN, N. (2001). Joint Interim Report - Bahamas Marine Mammal Stranding Event of 15-16 March 2000. Washington, DC, National Marine Fisheries Service and United States Navy: 59.
- Vail, C., O. E. Vasquez, et al. (2011). Haiti Ocean Project (HOP): Development of a multidimensional research and education project in Grand Goave, Republic of Haiti. 19th Biennial Conference on the Biology of Marine Mammals, Tampa, FL, USA, The Society for Marine Mammalogy.
- Valverde, J. A. and J. A. Caminas (1996). On dwarf sperm whale *Kogia simus* (Owen 1866), Cetacea, Physeteridae, in south Spain, a correction. Tenth Annual Conference of the European Cetacean Society.
- van Bree, P. and R. Duguay (1967). "Donnes craniométriques sur quatre specimens de *Kogia breviceps* (de Blainville, 1838) (Mammalia, Cetacea) échoués sur les côtes d'Europe." Mammalia **31**: 639-644.
- Van Canneyt, O., W. Dabin, et al. (1998). Synthèse sur les mammifères marins échoués sur le littoral Français de 1992 à 1996. Paris, Direction de la Nature et des Paysages.
- Van Waerebeck, K., J. Reyes, et al. (1987). "A second record of the pygmy sperm whale *Kogia breviceps* (de Blainville, 1838) (Cetacea, Physeteridae) from the Peruvian coast." Zeitschrift für Säugetierkunde **52**: 192-194.
- Van Waerebeck, K. and J. C. Reyes (1990). Trend in the Peruvian cetacean gillnet fishery: boom or bust? IWC Symposium on Mortality of Cetaceans in Passive Fishing Nets and Traps, La Jolla, California, USA.
- Van Waerebeck, K., R. Leaper, et al. (2010). "Odontocetes of the Southern Ocean Sanctuary." Journal of Cetacean Research and Management **11**(3): 315-346.
- Van Waerebeck, K., A. N. Baker, et al. (2007). "Vessel collisions with small cetaceans worldwide and with large whales in the Southern Hemisphere, an initial assessment." Latin American Journal of Aquatic Mammals **6**(1): 43-69.
- VAN WAEREBECK, K., R. LEAPER, et al. (2010). "Odontocetes of the Southern Ocean Sanctuary." Journal of Cetacean Research and Management **11**(3): 315-346.
- Vaz Ferreira, R. and R. Praderi (1973). Un nuevo ejemplar de *Kogia breviceps* (Cetacea, Physeteridae) del Atlántico sudoccidental: Caracteres y notas. V Congreso Latinoamericana Zoología, Montevideo, Uruguay.
- Vazquez-Castain, L., J. Angel-Galindo, et al. (2012). "Primeros registros de cachalotes, *Physeter macrocephalus* y *Kogia sima*, en aguas caribenas de la República Dominicana." **83**: 1244-1248.
- Velez-Juarbe, J., A. R. Wood, et al. (2015). "Correction: Evolutionary patterns among living and fossil kogiid sperm whale: evidence from the Neogene of Central America." PLoS One **10**(5): 1.
- Velez-Juarbe, J., A. R. Wood, et al. (2015). "Evolutionary patterns among living and fossil kogiid sperm whales: Evidence from the Neogene of Central America." PLoS One **10**(4): 29.
- Vicente, A., E. Zampiroli, et al. (1998). Registro de cachalote-anao *Kogia simus* Owen, 1866 (Cetacea, Physeteridae) no Estado de Sao Paulo, Brasil. VIII Reuniao de Trabalho de Especialistas en Mamiferos Acuaticos da America do Sur y II

- Congreso da Sociedade latinoamericana de Especialistas em mamiferos Acuaticos, Olinda, Brasil.
- Vidal, O., L. Findley, et al. (1987). "Recent records of pygmy sperm whales in the Gulf of California, Mexico." Marine Mammal Science **3**(4): 354-356.
- Vidal, O., K. Van Waerebeck, et al. (1994). "Cetaceans and gillnet fisheries in Mexico, Central America and the Caribbean: a preliminary review." Report of the International Whaling Commission, Special Issue: Gillnets and Cetaceans **15**: 221-233.
- Viricel, A. and P. E. Rosel (2009). First assessment of pygmy and dwarf sperm whales (*Kogia* spp.) stock structure in the northwestern Atlantic and northern Gulf of Mexico. Eighteenth Biennial Conference on the Biology of Marine Mammals, Quebec City, Quebec, Canada, Society for Marine Mammalogy.
- Von Haast, J. (1873). "On the occurrence of a new species of *Euphysetes* (*E. potosii*), a remarkably small catadont whale, on the coast of New Zealand." Transactions and Proceedings of the New Zealand Institute **6**: 97-102.
- Wade, P. R. and T. Gerrodette (1993). "Estimates of cetacean abundance and distribution in the eastern tropical Pacific." Reports of the International Whaling Commission **43**: 477-493.
- Walker, J. L. and S. A. Macko (1999). "Dietary studies of marine mammals using stable carbon and nitrogen isotopic ratios of teeth." Marine Mammal Science **15**(2): 314-334.
- Walker, D. (2005). Using oceanographic features to predict areas of high cetacean diversity. Bangor, Wales, United Kingdom, University of Wales: 148.
- Wall, W. (1851). "History and description of the skeleton of a new sperm-whale lately set up in the Australian Museum, together with some account of a new genus of sperm whale called *Euphysetes*." Memorandums of the Australian Museum **1**: 1-46.
- Wall, W. (1887). History and description of a new sperm whale, lately set up in the Australian Museum together with some account of a new genus of sperm whales called *Euphysetes*. Sydney.
- Walsh, M. T. and T. W. Campbell (1991). Single strandings of cetaceans in Florida. Eighth Annual Eastern States Veterinary Conference, Orlando, Florida, USA.
- Wang, M.-C., W. A. Walker, et al. (2002). "Comparative analysis of the diets of pygmy sperm whales and dwarf sperm whales in Taiwanese waters." Acta Zoologica Taiwanica **13**(2): 53-62.
- Wang, J. Y. and S.-C. Yang (2006). "Unusual cetacean stranding events of Taiwan in 2004 and 2005." Journal of Cetacean Research and Management **8**(3): 283-292.
- Wang, W.-C., L.-S. Chou, et al. (2008). "Unusual cetacean mortality event in Taiwan, possibly linked to naval activities." The Veterinary Record **162**: 184-186.
- Ward, N., A. Moscrop, et al. (2001). Elements for the development of a marine mammal action plan for the wider Caribbean: A review of marine mammal distribution. Havana, Cuba, United Nations Environmental Programme: 77.
- Ward, N. F. R., A. L. Bobomolni, et al. (2005). Marine Mammal Strandings in the Eastern Caribbean Region. 16th Biennial Conference on the Biology of Marine Mammals, San Diego, California, USA.
- Waring, G. T., R. M. Pace, et al. (2004). U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments -- 2003. Woods Hole, USDOC, NOAA, NMFS,

NEFSC.

- Watanabe, M., K. Kannan, et al. (2000). "Polychlorinated biphenyls, organochlorine pesticides, tris(4-chlorophenyl) methane, and tris (4-chlorophenyl) methanol in livers of small cetaceans stranded along Florida coastal waters, USA." Environmental Toxicology and Chemistry **19**(6): 1566-1574.
- Weber-Rosas, F. and M. Pinedo (1988). Primeiro registro do cachalote pigmeu *Kogia breviceps* (Cetacea, Physeteridae) para o litoral do Rio Grande do Sul, Brasil. III Reunion de Trabajo de Especialistas en Mamiferos Acuaticos de America del Sur, Montevideo, Uruguay.
- Weir, C. and H. de Groot (2004). "Identity in Question." Whale and Dolphin Magazine **1** (3): 23.
- Weir, C. R., S. Calderan, et al. (2011). "Cetacean encounters around the island of Montserrat (Caribbean Sea) during 2007 and 2010, including new species state records." Marine Biodiversity Records **4**: 1-10.
- Weir, C. R. (2011). "Distribution and seasonality of cetaceans in tropical waters between Angola and the Gulf of Guinea." African Journal of Marine Science **33** (1): 1-15.
- Wenzel, F. W. and P. L. Suarez (2012). "What is known about cookiecutter shark (*Isistius* spp.) interactions with cetaceans in Cape Verde seas?" Zoologia Caboverdiana **3**(2): 57-66.
- Werth, A. J. (2006). "Mandibular and dental variation and the evolution of suction feeding in Odontoceti." Journal of Mammalogy **87**(3): 579-588.
- Werth, A. J. (2006). "Odontocete suction feeding: Experimental analysis of water flow and head shape." Journal of Morphology **267**: 1415-1428.
- Werth, A. J. (2007). "Adaptations of the cetacean hyolingual apparatus for aquatic feeding and thermoregulation." The Anatomical Record **290**: 546-568.
- West, K. L., W. A. Walker, et al. (2009). "Diet of pygmy sperm whales (*Kogia breviceps*) in the Hawaiian Archipelago." Marine Mammal Science **25**(4): 931-943.
- Whitaker, B. R., J. R. Geraci, et al. (1994). The near-fatal injection of plastic by a pygmy sperm whale, *Kogia breviceps*. 25th Annual Conference of the International Association for Aquatic Animal Medicine, Vallejo, CA.
- Wiles, G. J. (2005). "A checklist of the birds and mammals of Micronesia." Micronesica **38**(1): 141-189.
- Willis, P. M. and R. W. Baird (1998). "Status of the dwarf sperm whale, *Kogia simus*, with special reference to Canada." Canadian Field-Naturalist **112**: 114-115.
- Wood, F. G. (1979). The cetacean stranding phenomenon: An hypothesis. Biology of Marine Mammals: Insights Through Strandings. J. R. Geraci and D. J. St. Aubin. Washington, DC, U.S. Department of Commerce, National Technical Information Service. **PB-293 890**: 129-188.
- Wursig, B., S. K. Lynn, et al. (1998). "Behaviour of cetaceans in the northern Gulf of Mexico relative to survey ships and aircraft." Aquatic Mammals **24**(1): 41-40.
- Wynne, K. and M. Schwartz (1999). Pygmy sperm whale, dwarf sperm whale. Guide to Marine Mammals and Turtles of the U.S. Atlantic and Gulf of Mexico. K. Wynne and M. Schwartz. Narragansett, RI, Rhode Island Sea Grant: 28-31.
- Yamada, M. (1954). "Some remarks on the pygmy sperm whale *Kogia*." Scientific Reports of the Whales Research Institute (Japan) **9**: 37-58.
- Yang, S.-C., H.-C. Liao, et al. (1999). "A survey of cetaceans in the waters of central

- eastern Taiwan." Asian Marine Biology **16**: 23-34.
- Yang, W.-C. and L.-S. Chou (2002). Cetacean rehabilitation in Taiwan. Symposium on the Biology and Conservation of Small Cetaceans and Dugongs in South-East Asia, Silliman University, Dumaguete City, Philippines, UNEP/CMA Secretariat, Bonn, Germany.
- Yang, W. C., V. F. Pang, et al. (2006). "Morbilliviral infection in a pygmy sperm whale (*Kogia breviceps*) from Taiwanese waters." Veterinary Microbiology **116**: 69-76.
- Yeung, C. (1999). Estimates of marine mammal and marine turtle bycatch by the U. S. Atlantic pelagic longline fleet in 1998. Miami, NOAA, NMFS, SEFSC: 26.
- Yeung, C. (2001). Estimates of marine mammal and marine turtle bycatch by the U. S. Atlantic pelagic longline fleet in 1999-2000. Miami, NOAA, NMFS, SEFSC: 42.
- Young, N. M., G. M. Hope, et al. (1988). "The tapetum fibrosum in the eyes of two small whales." Marine Mammal Science **4**(4): 281-290.
- Zagzebski, K. A., F. M. D. Gulland, et al. (2006). "Twenty-five years of rehabilitation of odontocetes stranded in central and northern California, 1977-2002." Aquatic Mammals **32**(3): 334-345.
- Zam, S. G., D. K. Caldwell, et al. (1971). "Some endoparasites from small odontocete cetaceans collected in Florida and Georgia." Cetology **2**: 1-11.
- Zampirolli, E., A. F. C. Vicente, et al. (1998). Novas informacoes sobre registros de cetaceos para regio da baixada santista, Sao Paulo, Brasil. Congresso da Sociedade Latinoamericana de Especialistas em Mamiferos Acuaticos.
- Zanelatto, R. C., F. C. W. Rosas, et al. (1996). Analise do conteudo estomacal de um cachalote anao *Kogia simus* (Cetacea: Kogiidae), registrado para o litoral do Parana, Brasil. Reunion de Trabajo de Especialistas en Mamiferos Acuaticos de America del Sur.
- Zanellato, R. and C. Guiera (1994). Primeiro registro de cachalote anao, *Kogia simus* Owen, 1866 (Cetacea, Physeteridae) para a costa Parana, Brasil. VI Reunion de Trabajo de Especialistas en Mamiferos Acuaticos de America del Sur, Florianopolis, Brasil.
- Zerbini, A. N. and J. E. Kotas (1998). A note on cetacean bycatch in pelagic driftnetting off southern Brazil. Forty-Eighth Report of the International Whaling Commission. G. P. Donovan. Cambridge, England, International Whaling Commission. **48**: 519-524.